

Chapter 483

Motor Vehicle Traffic, Equipment and Construction

DEFINITIONS; GENERAL PROVISIONS

- 483.002 "Authorized emergency vehicle," "axle," "business district" and "bus trailer" defined
- 483.004 "Chauffeur" defined
- 483.006 "Combination of vehicles," "combined weight," "commission" and "crosswalk" defined
- 483.008 "Driver" or "operator," "farm tractor" and "gross weight" defined
- 483.010 "Group of axles" and "highway or street" defined
- 483.012 "Implement of husbandry," "intersection," "local authorities" and "metal tires" defined
- 483.014 "Motor bus," "motorcycle," "motor truck" and "motor vehicle" defined
- 483.016 "Official traffic signs and signals" and "owner" defined
- 483.018 "Pneumatic tire," "pole or pipe dolly or pole trailer," "pole trailer" and "private road or driveway" defined
- 483.020 "Residence district," "right of way," "road tractor," "roadway" and "safety zone" defined
- 483.022 "School bus" and "semitrailer" defined
- 483.024 "Sidewalk," "sled," "solid rubber tire," "solid tire," "solid-tired vehicle," "streetcar" and "tandem axles" defined
- 483.026 "Tire," "tire width" and "total tire width" defined
- 483.028 "Traffic," "traffic control signal" and "trailer" defined
- 483.030 "Tread," "trolley bus," "truck tractor" and "vehicle" defined
- 483.032 Applicability of chapter to government vehicles and persons, vehicles working on a street or highway, and farm vehicles
- 483.034 Application of chapter to bicyclists and to persons riding, driving or leading animal
- 483.036 Provisions of chapter to be applicable, uniform and controlling throughout state, including ocean shore
- 483.038 Effect of chapter on permissive use of private roadway
- 483.040 Authority of State Highway Commission to mark highways and control traffic
- 483.042 Powers of local authorities in controlling traffic
- 483.043 Authority of municipalities to designate one-way streets, roads or highways
- 483.044 Erection of signs by local authorities; control by State Highway Commission
- 483.046 Permitting vehicle to be unlawfully operated
- 483.048 Duty to obey traffic officers; uniform or badge required
- 483.050 Unlawful to drive defectively or unlawfully equipped vehicle
- 483.052 Secretary of State to assist schools in promoting highway safety
- 483.054 Inspection of vehicles

SPEED REGULATIONS AND TRAFFIC SIGNALS

- 483.102 Basic speed rule
- 483.104 Maximum speeds, exceeding which is prima facie evidence of violation
- 483.106 Special speed limits set by highway commission
- 483.108 Speed limits set by State Speed Control Board
- 483.110 Payment of expenses in establishing special speed limits
- 483.112 Designation of speed in complaint; speed trap evidence not admissible
- 483.114 Minimum speed regulation
- 483.116 Speed of vehicles equipped with solid or metal tires
- 483.118 Speed on public bridge, causeway or viaduct
- 483.120 Speeds permitted by emergency vehicles; responsibility of driver
- 483.122 Speed races prohibited on public ways; publishing or advertising results
- 483.124 Maximum speed on ocean shore
- 483.126 Signals for starting, stopping or turning on highway
- 483.128 Duty to obey traffic signs and signals
- 483.130 Effect of "Go," "Caution" and "Stop" signals
- 483.132 Turning vehicles at intersections when signal is "Go" or "Stop"
- 483.134 Effect of "Walk" and "Wait" signals
- 483.136 Effect of flashing signals
- 483.138 Certain signs prohibited along highways
- 483.140 Damaging or removing sign or signal

RIGHT OF WAY, PEDESTRIANS, GRADE CROSSINGS

- 483.202 Right of way at intersections
- 483.204 Stop signs or markers at entrances to main or through highways or at intersections
- 483.206 Vehicles entering highway from private road
- 483.208 Stopping to permit emergency vehicle to pass
- 483.210 Rights of pedestrian when no traffic signals
- 483.212 Pedestrian's rights when there are traffic officers
- 483.214 Rights of blind pedestrian with white cane; use of white canes restricted
- 483.216 Crossing on right half of crosswalk
- 483.218 Standing in roadway to solicit ride
- 483.220 Pedestrians to use left-hand side of rural highway
- 483.222 Stopping before driving into sidewalk from alley, driveway or building
- 483.224 Stopping at railroad crossings upon signal of approach of train
- 483.226 Stop signs at dangerous railroad crossings
- 483.228 Busses, and trucks carrying inflammables or explosives, required to stop at railroad crossings

- 483 230 Moving heavy equipment over railroad tracks
- 483 232 Log trucks required to stop at railroad crossings
- 483.234 Procedure for exempting log trucks from crossing stops

PROPER POSITION ON HIGHWAY; MISCELLANEOUS RULES OF ROAD

- 483 302 Duty to drive on right half of highway
- 483 304 Normal position of vehicles when highway divided into lanes
- 483 306 Passing vehicles proceeding in opposite direction
- 483 308 When passing is permitted
- 483 310 Method of passing
- 483 312 Proper distance when following other vehicles
- 483 314 Passing horses or other animals
- 483.316 Turns at intersections
- 483 318 U-turns prohibited
- 483 320 Parking vehicle on highway outside of business or residential district
- 483 322 Specific places where parking prohibited
- 483.324 Precautions when vehicle allowed to stand on highway or grade
- 483 326 Stopping for streetcars and busses
- 483.328 Driving or crossing in front of streetcars
- 483 330 Following fire apparatus or parking in vicinity of fire
- 483 332 Driving vehicle or streetcar over fire hose
- 483 334 Driving through or over safety zones
- 483 336 Coasting upon down grade
- 483 338 Driving through defiles, canyons, or mountain highways
- 483.346 Authority of highway commission to control parking on state highways
- 483 348 Entry of commission's parking regulations in official records; erecting appropriate signs, regulations as having force of law
- 483 350 Authority of municipalities to control parking on state highways

LIGHTS AND OTHER EQUIPMENT ON VEHICLES

- 483 402 When lights are required to be on; application of visibility and height provisions
- 483 404 Head lights required, lighting equipment on bicycles
- 483 406 Tail lights required
- 483.408 Rear reflectors required
- 483 410 Reflectors, clearance and marker lamps, and stop lights on various vehicles
- 483.412 Color of lamps and reflectors; when certain lamps need not be lighted
- 483.414 Mounting reflectors and clearance lamps
- 483.416 Visibility of reflectors, clearance and marker lamps, and stop lights
- 483.418 Lighting required for a combination of vehicles
- 483.420 Lights required on parked vehicles
- 483.422 Lights required on miscellaneous vehicles
- 483.424 Intensity and distribution requirements for head lamps
- 483 426 Light indicator visible to driver
- 483.428 Distribution and intensity of head lights when on road and when meeting vehicle
- 483.430 Requirements when single distribution used
- 483.432 Limitations on lights at front of vehicles
- 483 434 Spot, auxiliary driving, stop, signal, fender, running board and back-up lamps permitted
- 483.436 Approval of lamps by Secretary of State
- 483 438 Procedure before and after lamps are approved
- 483.440 Suspension and renewal of certificates approving lamps
- 483.442 Specifications for lamps for vehicles of public utilities

- 483.444 Brakes required
- 483.446 Horns and other sound equipment
- 483.448 Mufflers, unnecessary noise prohibited
- 483.450 Rear view mirror
- 483 452 Obstruction of windows prohibited; windshield wiper required
- 483 454 Light or flag at end of load
- 483 456 Flares and similar warnings for trucks and busses
- 483.458 Fenders or covers on motor vehicles
- 483 460 Construction of vehicle fenders
- 483.462 Speedometers required on vehicles carrying passengers for hire
- 483 464 "Safety glazing material" defined for ORS 483 464 to 483 468
- 483 466 Approved safety glazing materials required in windows and windshields
- 483.468 Approval of safety glazing materials by Secretary of State
- 483 470 Limitations on use of television viewers in motor vehicles

RESTRICTIONS ON USE OF HIGHWAYS; WEIGHTS AND SIZES OF VEHICLES

- 483 502 Application of size and weight provisions; violators liable for damages
- 483 504 Restrictions on width, height and length of vehicles
- 483 506 Maximum axle, wheel and gross weights for vehicles
- 483.508 Restrictions on number of vehicles in a combination; coupling devices
- 483 510 Sifting or leaking loads
- 483.512 Sleds prohibited except with permit
- 483 514 Dragging object on highway prohibited
- 483.516 Pneumatic tires, when required
- 483 518 Metal objects on tires prohibited
- 483 520 Authority to issue permits for continued operation of vehicles exceeding length, weight or width limits, or for special combinations of vehicles
- 483 522 General provisions of permits; cancellation
- 483 524 Conditions of permits for excess length or weight; axle group and gross weight limits
- 483 525 Authority of highway commission to permit operation of vehicles of excess weight or length over certain highways
- 483.526 Permit to operate old trolley busses with excess axle weight
- 483 528 Permit for special movement of noncomplying vehicle or article
- 483.530 Carrying permit in vehicle
- 483 532 Public bodies authorized to restrict use of highways
- 483.534 Weighing of vehicles on highway; detention of vehicle until its load complies with statutes or permit; tolerances
- 483 536 Methods of determining gross weights
- 483 538 Crowding of front seat; passenger interfering with driver
- 483.540 Carrying dog or child on external part of motor vehicle
- 483 542 Designation of streets, roads or highways as truck routes
- 483 544 Truck route designation to be by order, resolution or ordinance; erecting appropriate signs; when prohibitions are effective; violations prohibited

ACCIDENTS; ENFORCEMENT OF TRAFFIC LAWS

- 483.602 Duties of drivers and witnesses at accidents
- 483.604 Driver's duties when he collides with unattended vehicle or other property
- 483.606 Accident reports required
- 483 608 Form of report; sending death certificate to Secretary of State

- 483.610 Confidential nature of report; publication of statistics; city authorized to require accident report
- 483.612 Report of vehicles brought to garage or repair shop showing accident or bullet contact
- 483.614 Driver's duty to help animals
- 483.616 Jurisdiction to try offenses under this chapter
- 483.618 Arrest of violators; release from custody before hearing
- 483.620 When automobile association membership card is acceptable as bail
- 483.622 Weighmaster's authority to arrest
- 483.624 Magistrates' and court clerks' duty to forward trial reports to Secretary of State
- 483.626 Disposition of fines, penalties and forfeitures
- 483.628 Driver or chauffeur may be exonerated from overloading violation if in good faith
- 483.630 Use of sobriety tests
- PENALTIES**
- 483.990 Penalties generally
- 483.992 Penalty for driving recklessly or while under the influence of liquor or drugs
- 483.994 Penalty for operating illegally shaped or equipped vehicle
- 483.995 Penalties for overloading vehicles other than those used in the transportation of logs, poles or piling
- 483.996 Penalties for overloading vehicles used in the transportation of logs, poles or piling
- 483.998 Violation of ORS 483.532 or orders issued pursuant thereto

CROSS REFERENCES

- Capitol grounds, use of motor vehicles on, 276.024
- County lands, use of motor vehicles on, 275.420, 275.430
- Crossing a highway does not constitute operation thereon, 374.265
- Entering or tampering with motor vehicle without owner's consent, 164.650
- Firearms not to be discharged on highway, 166.630
- Motor carriers, special highway regulations for, Ch 767
- Operating vehicle without owner's consent, 164.670
- Throwing or leaving debris or dangerous substance on highway, 166.630
- Wilful or malicious interference with motor vehicle, 164.660
- 483.032**
- Marking and use of state-owned vehicles, 291.724, 291.726
- 483.034**
- Animals in streets, limit on speed of, 166.110
- 483.036**
- Restricting travel on ocean shore, 274.090
- 483.040**
- Routing highways through cities, 373.010
- Traffic enforcement powers to be exercised by State Police, 181.040
- 483.042**
- Parking lots in cities, 223.805 to 223.845
- 483.104**
- Animals in streets, limit on speed of, 166.110
- 483.124**
- Restricting travel on ocean shore, 274.090
- 483.210**
- School bus, duty to stop for, 485.020
- 483.224, 483.228**
- School busses must stop at railroad crossings, 485.030
- 483.308**
- Passing a stopped school bus forbidden, 485.020
- 483.320**
- Parking house trailer along highway, 446.120
- 483.350**
- State highways through cities, jurisdiction over, 373.020
- 483.506**
- Weight limits on forest roads, 376.355
- 483.510**
- Leaving debris or dangerous substance on highway forbidden, 166.630
- 483.542**
- County roads, jurisdiction over, Ch 368
- State highways through cities, jurisdiction over, 373.020
- 483.602**
- Revocation of driver's license for failure to stop and give aid, 482.430
- 483.606 to 483.610**
- Accident reports required under Motor Vehicle Safety Responsibility Act, 486.105 to 486.125
- Suspension of license for failure to report accident, 486.125
- 483.616 to 483.626**
- Citation to violator of traffic laws, issuance of, 481.507
- Fact of conviction of certain offenses to be indorsed on driver's license, by the court, 482.660
- Similar provisions with reference to violations of motor vehicle registration law, 481.505 * to 481.535
- 483.620**
- Motorists' service companies, Ch 732
- 483.990**
- Fact of conviction to be indorsed on driver's license, by the court, 482.660
- Penalties provided in subsection (1) of ORS 483.990 also apply to certain other offenses, 164.650, 164.660, 166.630, 649.080
- 483.992**
- Liability to guest injured as result of drunken driving, 30.110
- Suspension of driver's license for drunken driving, 482.430

DEFINITIONS; GENERAL PROVISIONS

483.002 "Authorized emergency vehicle," "axle," "business district" and "bus trailer" defined. As used in this chapter, except where the context otherwise requires

(1) "Authorized emergency vehicle" means vehicles of the fire department or fire patrol, police vehicles, emergency vehicles of municipal departments or public service corporations and ambulances while being used for emergency purposes and displaying the required lights and sounding a siren or other audible warning

(2) "Axle" means any structure or structures, whether in one or more segments, of any vehicle, supported by wheels and on which the wheels rotate, so spaced longitudinally that the centers thereof are included between two vertical parallel transverse planes 40 inches apart.

(3) "Business district" means the territory contiguous to a highway when 50 percent or more of the frontage thereon for a distance of 600 feet or more on one side, or 300 feet or more on both sides, is occupied by buildings used for business.

(4) "Bus trailer" means any trailer designed or used for carrying human beings

483.004 "Chauffeur" defined. (1) As used in ORS 483.006 to 483.462, 483.538 to 483.626, and 483.630 to 483.992, except where the context otherwise requires, the term "chauffeur"

(a) Means every person who is employed by another for the principal purpose of driving a motor vehicle, and every person who drives a motor vehicle carrying persons or property for compensation; but

(b) Does not include students operating vehicles commonly known and used as private passenger vehicles, which are not operated for compensation except in the transportation of students to or from school

(2) As used in ORS 483.502 to 483.536, 483.628, and 483.994 to 483.998, except where the context otherwise requires, the term "chauffeur" means any person who is employed by another for the principal purpose of operating a motor vehicle, and every person who drives a motor vehicle while in use as a public or common carrier of persons or property for a consideration other than the sharing of expenses

483.006 "Combination of vehicles," "combined weight," "commission" and "crosswalk" defined. As used in this chapter,

except where the context otherwise requires:

(1) "Combination of vehicles" means two or more vehicles coupled together.

(2) "Combined weight" means the sum of the weight of the vehicle and the weight of the load resting thereon or sustained thereby.

(3) "Commission" means the State Highway Commission *2778ad 787*

(4) "Crosswalk" means:

(a) Except as provided in paragraph (b) of this subsection, that portion of a roadway at an intersection included within the connections of the lateral lines of the sidewalks on opposite sides of the street or highway measured from the curbs or, in the absence of curbs, from the edges of the traveled roadway to the property lines; or the prolongation of the lateral lines of a sidewalk, to the sidewalk on the opposite side of the street, if the prolongation would meet such sidewalk; or

(b) Any portion of a roadway at an intersection or elsewhere distinctly indicated for pedestrian crossing by lines or other markings on the surface of such roadway, conforming in design to standards prescribed by the commission. Whenever marked crosswalks have been indicated, such crosswalks and no other shall be deemed lawful across such roadway at that intersection.

483.008 "Driver" or "operator," "farm tractor" and "gross weight" defined. As used in this chapter, except where the context otherwise requires:

(1) "Driver" or "operator" means any person, other than a chauffeur, who is in actual physical control of a vehicle upon the highways or streets of this state.

(2) "Farm tractor" means every motor vehicle designed and used primarily as a farm implement for drawing plows and mowing machines and other implements of husbandry

(3) "Gross weight" means the weight of a vehicle or combination of vehicles, or wheel, or axle, or tandem axles or group of axles, without load plus the weight of any load thereon

483.010 "Group of axles" and "highway or street" defined. As used in this chapter, except where the context otherwise requires

(1) "Group of axles" means any two or more axles in sequence of one vehicle, or one or more axles of one vehicle and one or more axles of another vehicle in sequence in a

combination of vehicles, so spaced longitudinally that the centers of the first and last axles of the group of axles are six feet or more apart

(2) "Highway or street" means the entire width between the boundary lines of every way publicly maintained when any part thereof is open to the use of the public for purposes of vehicular traffic, except that as used in ORS 483 502 to 483 536 and 483.994 to 483.998 the term does not include any road or thoroughfare or property in private ownership or any road or thoroughfare, other than a state highway or county road, used pursuant to any agreement with any agency of the United States or with a licensee of such agency, or both. [Amended by 1953 c 691 §12]

277Pd 483.012 "Implement of husbandry," "intersection," "local authorities" and "metal
781 tires" defined. As used in this chapter, except where the context otherwise requires:

(1) "Implement of husbandry" means any vehicle which is designed for agricultural purposes and not as a vehicle for general use upon the highways and exclusively used by the owner thereof in the conduct of his agricultural operations.

(2) "Intersection" means the area embraced within the prolongation or connection of the lateral curb lines, or, if none, then of the lateral boundary lines of two or more highways which join one another at an angle, whether or not one highway crosses the other.

(3) "Local authorities" means every county, municipal and other local board or body having authority to adopt local police regulations under the Constitution and laws of this state.

(4) "Metal tire" means any tire the surface of which, in contact with the highway, is wholly or partly of metal or other hard nonresilient material, except that as used in ORS 483.502 to 483 536 and 483 994 to 483.998, the term means any tire made of nonelastic material. [Amended by 1953 c.691 §12]

483.014 "Motor bus," "motorcycle," "motor truck" and "motor vehicle" defined. As used in this chapter, except where the context otherwise requires:

(1) "Motor bus":

(a) Means every motor vehicle designed or used for carrying passengers and their personal baggage for compensation; but

(b) Does not include taxicabs designed or constructed to accommodate and transport not more than five passengers, exclusive of the driver, and fitted with taximeters or using or having some other device, method or system to indicate and determine the passenger fare paid for distance traveled.

(2) "Motorcycle" means every motor vehicle, except tractors, designed to travel on not more than three wheels in contact with the ground.

(3) "Motor truck" means every motor vehicle designed, used or maintained primarily for the transportation of property and having a gross weight in excess of 4,500 pounds.

(4) "Motor vehicle" means any vehicle which is self-propelled

483.016 "Official traffic signs and signals" and "owner" defined. As used in this chapter, except where the context otherwise requires:

(1) "Official traffic signs and signals" means all signs, signals, markings and devices not inconsistent with this chapter, placed or erected by authority of a public body or official having jurisdiction, for the purpose of guiding, directing, warning or regulating traffic.

(2) "Owner" means a person who holds legal title to a vehicle, except that:

(a) If there is a mortgagor who is entitled to possession of the vehicle, or a conditional vendee or lessee with an immediate right of possession under an agreement for the conditional sale or lease of the vehicle, and with the right of purchase upon performance of the conditions stated in the agreement, the mortgagor or conditional vendee or lessee shall be deemed the owner.

(b) As used in ORS 483 502 to 483 536 and 483.994 to 483 998, the term means any person having the lawful use or control of any vehicle as holder of the legal title of the vehicle or under contract or lease or otherwise.

483.018 "Pneumatic tire," "pole or pipe dolly or pole trailer," "pole trailer" and "private road or driveway" defined. As used in this chapter, except where the context otherwise requires:

(1) "Pneumatic tire" means any tire made of elastic material which is inflated with compressed air

(2) "Pole or pipe dolly or pole trailer" or "pole trailer" means every vehicle without

motive power designed to be drawn by another vehicle and attached to the towing vehicle by means of a reach, or pole, or being boomed or otherwise secured to the towing vehicle and ordinarily used for transporting long or irregular-shaped loads such as logs, poles, pipes or structural members capable, generally, of sustaining themselves as beams between the towing vehicle and such pole or pipe dolly or pole trailer

(3) "Private road or driveway" means every way or place in private ownership and used for vehicular travel by the owner and those having express or implied permission from him, but not used by other persons

483.020 "Residence district," "right of way," "road tractor," "roadway" and "safety zone" defined. As used in this chapter, except where the context otherwise requires.

(1) "Residence district" means the territory contiguous to a highway not comprising a business district when the frontage on such highway for a distance of 300 feet or more is mainly occupied by dwellings or by dwellings and buildings used for business

(2) "Right of way" means the privilege of the immediate use of the highway

(3) "Road tractor" means every motor vehicle designed and used for drawing other vehicles and not so constructed as to carry any load thereon either independently or any part of the weight of a vehicle or load so drawn

(4) "Roadway" means that portion of a street or highway improved, designed or ordinarily used for vehicular travel

(5) "Safety zone" means the area or space officially set apart within a roadway for the exclusive use of pedestrians and which is protected or is so marked or indicated by adequate signs as to be plainly visible at all times while set apart as a safety zone.

483.022 "School bus" and "semitrailer" defined. As used in this chapter, except where the context otherwise requires:

(1) "School bus":

(a) Means every motor vehicle owned by a public or governmental agency and operated for the transportation of children to and from school or privately owned and operated for compensation for the transportation of children to or from school; but

(b) Does not include vehicles commonly known and used as private passenger vehicles and not operated for compensation ex-

cept in the transportation of children to or from school

(2) "Semitrailer" means every vehicle without motive power, other than a pole trailer, designed for carrying persons or property and for being drawn by a motor vehicle and so constructed that some part of its weight and that of its load rests upon or is carried by another vehicle

483.024 "Sidewalk," "sled," "solid rubber tire," "solid tire," "solid-tired vehicle," "streetcar" and "tandem axles" defined. As used in this chapter, except where the context otherwise requires

(1) "Sidewalk" means that portion of a street between the curb lines, or the lateral lines of a roadway, and the adjacent property lines, intended for the use of pedestrians

(2) "Sled" means every vehicle moving over the highways of this state, except vehicles that move exclusively on revolving wheels or rotating tracks in contact with the surface of the road

(3) "Solid rubber tire" or "solid tire" means every tire made of elastic material other than a pneumatic tire

(4) "Solid-tired vehicle" means any vehicle having two or more solid or metal tires.

(5) "Streetcar" means every device traveling exclusively upon rails when upon or crossing a street, other than cars or trains propelled or moved by steam

(6) "Tandem axles" means any two or more axles so spaced longitudinally that their centers may be included between two vertical parallel transverse planes less than six feet apart and more than 40 inches apart.

483.026 "Tire," "tire width" and "total tire width" defined. As used in this chapter, except where the context otherwise requires:

(1) "Tire" means the band of material used on the circumference of a wheel, on the outer face of a track or on a runner of a sled, which forms the tread that comes in contact with the surface of the road, if no band is used, it means the tread or runner of a sled.

(2) "Tire width" means

(a) Except as provided in paragraphs (b) and (c) of this subsection, the measure taken on the cross section of the tread of a wheel, the outer face of a track, or the runner of a sled

(b) When applied to solid tires of a motor vehicle, the measure taken on the

cross section between the flanges of the circumference of a wheel at the base of the tire as customarily measured and rated by the manufacturers of motor vehicles and tires.

(c) When applied to a pneumatic tire, the diameter of the cross section of such tire as customarily measured and rated by the manufacturers of motor vehicles and tires

(3) "Total tire width" means the sum of the tire widths of all wheels of a vehicle

483.028 "Traffic," "traffic control signal" and "trailer" defined. As used in this chapter, except where the context otherwise requires:

(1) "Traffic" means pedestrians, ridden or herded animals, vehicles, streetcars, trolley and motor busses and other conveyances, either singly or together, using any street or highway for purposes of travel

(2) "Traffic control signal" means any device, whether manually, electrically or mechanically operated, by which traffic is directed.

(3) "Trailer" means every vehicle without motive power, other than a pole trailer, designed for carrying persons or property and for being drawn by a motor vehicle and so constructed that no part of its weight rests upon the towing vehicle

483.030 "Tread," "trolley bus," "truck tractor" and "vehicle" defined. As used in this chapter, except where the context otherwise requires.

(1) "Tread" means that part of the outer circumference of a wheel or tire or outer face of a track that comes in contact with the surface of the road or, if a sled, that part of the runner that comes in contact with the surface of the road.

(2) "Trolley bus" means every vehicle propelled by electric power obtained from overhead trolley wires, but not operated upon rails

(3) "Truck tractor" means every motor vehicle designed and used primarily for drawing other vehicles and not so constructed as to carry a load other than a part of the weight of the vehicle or load, or both, as drawn

(4) "Vehicle" means every device in, upon or by which any person or property is or may be transported or drawn upon a public highway, except devices moved by human power or used exclusively upon stationary rails or tracks

483.032 Applicability of chapter to government vehicles and persons, vehicles working on a street or highway, and farm vehicles.

(1) The provisions of ORS 483.002 to 483.054, 483.102 to 483.140, 483.202 to 483.230, 483.302 to 483.338, 483.402 to 483.456, 483.538, 483.540, 483.602 to 483.612, 483.616 to 483.620, 483.990 and 483.992 that are applicable to the drivers of vehicles upon the highways shall apply to the drivers of all vehicles owned or operated by the United States, this state or any county, city, district or any other political subdivision of the state, subject to such specific exceptions as are set forth in the motor vehicle laws of this state with reference to authorized emergency vehicles.

(2) The provisions of the sections above enumerated do not apply to persons, teams, motor vehicles and other equipment while actually engaged in work above, below or upon a street or highway, but shall apply to such persons and vehicles when traveling to or from such work

(3) The provisions of this chapter with respect to equipment on vehicles do not apply to instruments of husbandry, road machinery, road rollers or farm tractors, except where expressly made applicable

483.034 Application of chapter to bicyclists and to persons riding, driving or leading animal. Every person riding a bicycle or an animal upon a roadway and every person driving or leading any animal is subject to the provisions of this chapter applicable to the driver of a vehicle, except those provisions which by their very nature can have no application

483.036 Provisions of chapter to be applicable, uniform and controlling throughout state, including ocean shore. (1) The provisions of this chapter shall be applicable and uniform throughout this state and in all political subdivisions and municipalities therein and no local authority shall enact or enforce any rule or regulation in conflict with the provisions of this chapter

(2) The laws of this state relative to the rules of the road and the regulation of motor vehicles using the public highways of the state shall apply to all portions of the shore of the ocean which have been or may hereafter be declared to be a public highway. Law enforcing agencies vested with authority to enforce such laws shall likewise be vested with authority to enforce the provisions of ORS 483.124

483.038 Effect of chapter on permissive use of private roadway. Nothing in this chapter shall prevent the owner of real property used by the public for purposes of vehicular travel by permission of the owner and not as a matter of right, from prohibiting such use, or from requiring different or additional conditions than those specified in this chapter, or otherwise regulating such use as may seem best to such owner

483.040 Authority of State Highway Commission to mark highways and control traffic. (1) The commission is authorized to classify, designate and mark both intrastate and interstate highways lying within the boundaries of this state and to provide a uniform system of marking and signing such highways under the jurisdiction of this state. Such system of marking and signing shall correlate with and so far as possible conform to the system adopted in other states

(2) The commission is authorized to determine the character or type of traffic control signals to be used, and to place or erect them upon state highways, at places where the commission deems necessary for the safe and expeditious control of traffic. So far as practicable, all such traffic control signals shall be uniform as to type and location. No traffic control signals shall be erected or maintained upon any state highway by any authority other than the commission, except with its written approval.

277 Bd 787 **483.042 Powers of local authorities in controlling traffic.** (1) Local authorities, except as specifically authorized in this chapter, shall have no power or authority to alter any of the regulations declared in this chapter, or to enact or enforce any rule or regulation contrary to the provisions of this chapter

(2) Local authorities shall have power to provide by ordinance for the regulation of traffic by means of traffic officers, semaphores or other signal devices on any portion of the highway where traffic is heavy or continuous, may prohibit other than one-way traffic upon certain highways, and may regulate the use of the highways by processions or assemblages. Where one-way traffic is provided for, such authorities shall erect and maintain suitable signs at reasonable intervals upon the highway informing the public of such fact. All such signs shall be so placed as to be visible to the driver of an approaching vehicle

(3) Local authorities may regulate the speed of vehicles in public parks and shall erect at all entrances to such parks adequate signs giving notice of any special speed regulations

(4) It is a valid defense in any prosecution for a violation of this section that the highway was not signed as required in this section

483.043 Authority of municipalities to designate one-way streets, roads and highways. The municipal authorities of any incorporated city or town may designate any street, road or highway within the corporate limits of an incorporated city or town under their jurisdiction as a one-way street, road or highway upon which vehicular traffic is permitted to move in one direction only, but shall not designate as a one-way street, road or highway any street, road or highway under the jurisdiction of the State Highway Commission or any county, without the written consent of the highway commission or the county court or board of county commissioners, as the case may be [1953 c 186 §1]

483.044 Erection of signs by local authorities; control by State Highway Commission. (1) Subject to the authority vested in the State Highway Commission, local authorities in their respective jurisdictions shall erect and maintain appropriate signs designating business and residence districts, and steam or interurban railway grade crossings; such other signs, markings and traffic control signals as are deemed necessary to direct and regulate traffic and to carry out the provisions of this chapter; and such additional signs as may be appropriate to give notice of local parking and other special regulations. 277 Bd 787

(2) The erection and maintenance of such signs, markers and signals by the commission or local authorities shall be deemed an administrative act to be performed under general authority by the commission or local authorities. In the case of local authorities, the erection and maintenance of such signs, markers and signals shall be performed by the agency of such authority charged with traffic engineering or traffic law enforcement

(3) Except in cities of over 50,000 inhabitants, the commission shall have general supervision with respect to the erection by local authorities of official traffic signs and signals, for the purpose of obtaining, so far

as practicable, uniformity as to type and location of such signs and signals throughout the state, and no local authority shall place or erect any traffic signs, signals or markings unless of a type conforming to specifications and at locations approved by the commission.

483.046 Permitting vehicle to be unlawfully operated. No owner, lessor or lessee of a motor vehicle or any person employing or otherwise directing the driver of a motor vehicle shall knowingly permit or require the operation of the motor vehicle upon a public highway when the vehicle is equipped otherwise than as required or permitted by law or is in excess of a weight permitted by law, or the operation of any vehicle in any manner contrary to law.

483.048 Duty to obey traffic officers; uniform or badge required. (1) No person shall refuse or fail to comply with any lawful order, signal or direction of any traffic or police officer displaying his star or badge and invested by law with authority to direct, control or regulate traffic

(2) Every officer seeking to enforce the speed laws of this state shall be in uniform or have conspicuously displayed upon his person a conspicuous badge indicating his official authority

483.050 Unlawful to drive defectively or unlawfully equipped vehicle. (1) No person shall drive or move and no owner shall cause or knowingly permit to be driven or moved on any street or highway, any vehicle or combination of vehicles which is in such unsafe condition as to endanger any person, or which does not contain those parts or is not at all times equipped with such lamps and other equipment in proper condition and adjustment as required in this chapter, or which is equipped in any manner in violation of this chapter.

(2) Nothing contained in this chapter shall be construed to prohibit the use of additional parts and accessories on any vehicle not inconsistent with the provisions of this chapter.

483.052 Secretary of State to assist schools in promoting highway safety. The Secretary of State shall assist accredited schools and educational institutions of this state in the promotion of highway safety and shall carry on with other activities under the laws providing for the registration of motor vehicles and motor vehicle opera-

tors and chauffeurs, other projects having for their purpose the prevention of motor vehicle accidents

483.054 Inspection of vehicles. The Secretary of State and his authorized assistants may at any time inspect any vehicle to determine its compliance with the equipment and other provisions of this chapter.

483.056 to 483.100 [Reserved for expansion]

SPEED REGULATIONS AND TRAFFIC SIGNALS

267 Pa. 664
483.102 Basic speed rule. (1) No person shall drive a vehicle upon a highway at a speed greater than is reasonable and prudent, having due regard to the traffic, surface and width of the highway, the hazard at intersections and any other conditions then existing.

(2) No person shall drive at a speed which is greater than will permit the driver to exercise proper control of the vehicle and to decrease speed or to stop as may be necessary to avoid colliding with any person, vehicle or other conveyance on or entering the highway in compliance with legal requirements and with the duty of drivers and other persons using the highway to exercise due care

(3) Subsection (2) of this section does not change the rules of pleading and evidence relating to negligence and contributory negligence

483.104 Maximum speeds, exceeding which is prima facie evidence of violation. Any speed in excess of the speeds designated in this section or under ORS 483 106 or 483 108 shall be prima facie evidence of violation of ORS 483 102 The speeds designated in this section are:

(1) Twenty miles per hour

(a) When passing a school building, or the grounds thereof, or a school crossing, during school recess or while children are going to or leaving school during opening or closing hours, if the presence of such building, grounds or crossing is indicated plainly by signs or signals conforming to ORS 483.044

(b) When approaching within 100 feet of a grade crossing of a steam, electric or street railway where the driver's view of the crossing or of any traffic on such railway within a distance of 400 feet in either direction is obstructed

(c) In any business district
(d) Upon approaching within 50 feet and in traversing an intersection of highways where the driver's view in either direction along any intersecting highway within a distance of 200 feet is obstructed, except that when traveling upon a through street or at traffic-controlled intersections the district speed applies.

(2) Twenty-five miles per hour:

(a) In any residence district

(b) In public parks within cities, unless a different speed is designated by local authorities and duly posted

(3) Forty-five miles per hour for motor trucks equipped with pneumatic tires and for school busses, as defined in ORS 485 010, and 55 miles per hour for other vehicles, in other locations. [Amended by 1953 c.38 §2]

483.106 Special speed limits set by highway commission. Whenever the commission determines, upon the basis of an engineering and traffic investigation, that any speed designated in ORS 483.104 is greater or less than is reasonable or safe under the conditions found to exist upon any state highway, or section thereof, not within the corporate limits of any city, the commission may designate a different speed thereupon, which shall be effective when appropriate signs giving notice thereof are erected upon such highway

483.108 Speed limits set by State Speed Control Board. (1) There hereby is created the State Speed Control Board, consisting of the Secretary of State, the Superintendent of the Department of State Police and the chairman of the State Highway Commission, each of which members may designate a representative to serve in his place

(2) The board has authority to make or cause to be made, and, if requested by any county court or board of county commissioners of any county, or municipal authority of any city, shall make or cause to be made an engineering and traffic investigation with respect to the designated speeds provided for in ORS 483 104 applicable to any county road or city street, or section thereof. If upon such investigation the board finds that the designated speed is greater than is reasonable or safe or less than is reasonable under the conditions found to exist thereon, the board after due notice and opportunity for hearing to the county commissioners or municipal authority affected thereby shall

give written notice to such county court or board of county commissioners or city or town of any proposed deviation from such designated speeds. Such county court or board of county commissioners or city or town shall, within 30 days after receipt of such written notice, file with such speed control board a written statement of objections to such proposed deviation and may request a hearing thereon. No such deviation shall be ordered until such written objections have been considered by the board or such requested hearing has been held on not less than five days' notice. The board thereupon may designate different speeds, which shall be effective when appropriate signs giving notice thereof are erected upon such road or street [Amended by 1953 c.187 §2]

483.110 Payment of expenses in establishing special speed limits. The expense of any engineering and traffic investigation made pursuant to ORS 483 106 or 483 108 shall be borne by the commission and paid for from the State Highway Fund. The expense of erecting any signs pursuant to such sections shall be borne by the agency having jurisdiction over the street or highway. All such signs shall comply with ORS 483 044.

483.112 Designation of speed in complaint; speed trap evidence not admissible.

(1) In every charge of violation of the law as to speed, consisting of or including a violation of ORS 483 102, the complaint and the summons or notice to appear shall specify the speed at which the defendant is alleged to have driven, and the speed designated for the district or location. If a charge also is made of violation of any other provision of this chapter, the complaint and the summons or notice to appear also shall specify such other offense alleged to have been committed.

(2) No evidence as to the speed of a vehicle operated on a highway by any person arrested for violation of any law regulating the speed of vehicles shall be admitted in any court at the consequent trial of such person, when such evidence relates to or is based upon the maintenance or use of a speed trap.

(3) A speed trap, within the meaning of this section, is a particular section of, or distance on, any highway the length of which has been or is measured for distance and marked off or otherwise designated or determined; and the limits of which are within the vision of an officer who calculates the speed of a vehicle by using the elapsed time during which the vehicle travels between the

entrance and exit of such measured and marked area

483.114 Minimum speed regulation. (1) No person shall unnecessarily drive at such a slow speed as to impede or block the normal and reasonable movement of traffic, except when a reduced speed is necessary for safe operation, or when the vehicle is a truck or truck and trailer and necessarily or in compliance with law it must proceed at a reduced speed

(2) Traffic and police officers are authorized to enforce this section by directions to drivers. The apparent wilful disobedience to this section and refusal to comply with the direction of an officer, manifested by the continued slow operation by a driver, shall constitute a misdemeanor

483.116 Speed of vehicles equipped with solid or metal tires. (1) No vehicle, when equipped with solid tires, shall be operated or moved over or upon the public highways, roads or streets of this state at any greater rate of speed than specified in the following classification and schedule

| Total tire width | Miles per hour |
|---|----------------|
| Not over 14 inches..... | 25 |
| Over 14 inches and not over 16 inches.... | 20 |
| Over 16 inches and not over 22 inches.... | 18 |
| Over 22 inches and not over 30 inches.... | 16 |
| Over 30 inches..... | 12 |

(2) No vehicle, when equipped with metal tires, shall be operated or moved over or upon the public highways, roads or streets of this state at any greater rate of speed than specified in the following classification and schedule

| Combined weight | Miles per hour |
|---|----------------|
| 2,500 pounds or less..... | 10 |
| Over 2,500 pounds and not over 5,000 pounds | 8 |
| Over 5,000 pounds and not over 7,000 pounds | 6 |
| Over 7,000 pounds prohibited except by permission granted by the commission, with respect to state highways, or the county court or board of county commissioners with respect to highways under their jurisdiction | |

483.118 Speed on public bridge, causeway or viaduct. (1) The commission upon request from any local authorities shall, or upon its own initiative may, conduct an investigation of any public bridge, causeway

or viaduct. If it finds that such structure cannot with safety to itself withstand vehicles traveling at the speed otherwise permissible under this chapter, the commission shall determine and declare the maximum speed of vehicles which such structure can withstand, and shall cause or permit suitable signs stating such maximum speed to be erected and maintained at a suitable distance before each end of such structure. The findings and determination of the commission shall be conclusive evidence of the maximum speed which can with safety to any structure be maintained thereon

(2) No person shall drive any vehicle upon any public bridge, causeway or viaduct at a rate of speed greater than that established under subsection (1) of this section and evidenced by signs posted in accordance with that subsection

483.120 Speeds permitted by emergency vehicles; responsibility of driver. (1) The speeds designated in or pursuant to ORS 483 102 to 483 118 shall not apply to authorized emergency vehicles when operated in emergencies and the drivers thereof sound audible signal by bell, siren or exhaust whistle

(2) This section does not relieve the driver of an authorized emergency vehicle from the duty to drive with due regard for the safety of all persons using the street, nor does it protect the driver of any such vehicle from the consequence of a reckless disregard of the safety of others

483.122 Speed races prohibited on public ways; publishing or advertising results. (1) No race or contest for speed shall be held upon any road, street or highway in this state

(2) No manufacturer, dealer, distributor or other person shall publish or advertise, offer for publication or advertisement or consent or be a party to the publication or advertisement of the time consumed or speed attained by a motor vehicle between fixed points or over given or designated distances upon the public highways of this state, where such time or speed would indicate or show a violation of the speeds designated in or pursuant to ORS 483 102 to 483 118

483.124 Maximum speed on ocean shore. (1) Notwithstanding any other provision of law by which the speed of motor vehicles using the public highways is fixed and determined, the maximum speed of any vehicle

or conveyance on any part of the ocean shore is 25 miles per hour.

(2) Whenever the commission determines upon the basis of an engineering and traffic investigation that the speed of 25 miles an hour is greater than is reasonable or safe under the conditions found to exist with respect to any part of the ocean shore, the commission may establish a maximum speed of less than 25 miles per hour on any specified section of such shore.

483.126 Signals for starting, stopping or turning on highway. (1) The driver of any vehicle upon a highway before starting, stopping or turning from a direct line shall first see that such movement can be made in safety. If any pedestrian may be affected by such movement the driver shall give a clearly audible signal by sounding the horn. Whenever the operation of any other vehicle may be affected by such movement he shall give a proper signal which is plainly visible to the driver of such other vehicle of the intention to make such movement

(2) The signal required by subsection (1) of this section shall be given either by means of the hand and arm or by an approved mechanical or electrical signal device. However, when a vehicle is so constructed or loaded as to prevent the hand and arm signal from being visible both to the front and rear, the signal shall be given by a device of a type approved by the Secretary of State

(3) Whenever the signal is given by means of the hand and arm, the driver shall indicate his intention to

(a) Turn to the left by extending his hand and arm horizontally from and beyond the left side of the vehicle

(b) Turn to the right by extending his hand and arm upward and beyond the left side of the vehicle.

(c) Stop or suddenly decrease speed by extending his hand and arm downward from and beyond the left side of the vehicle

(4) The signal required to be given before turning to the right or left shall be given continuously during the last 50 feet traveled by the vehicle before turning

483.128 Duty to obey traffic signs and signals. No driver of any vehicle or motorman of any streetcar shall disobey the instructions of any official traffic sign or signal placed in accordance with the provisions

of this chapter, unless otherwise directed by a police officer.

483.130 Effect of "Go," "Caution" and "Stop" signals. Whenever traffic is controlled by traffic control signals exhibiting the words "Go," "Caution" or "Stop" or exhibiting different colored lights successively one at a time, or with arrows, said lights, arrows and terms shall indicate and apply to drivers of vehicles and pedestrians as follows.

(1) Green alone or "Go" Vehicular traffic facing the signal may proceed straight through or turn right or left unless a sign at such place prohibits such turn, but vehicular traffic shall yield the right of way to pedestrians and other vehicles lawfully within a crosswalk or the intersection at the time such signal is exhibited. Pedestrians facing the signal may proceed across the roadway within any marked or unmarked crosswalk unless prohibited from doing so by other signs or signals

(2) Yellow alone or "Caution" when shown following the green or "Go" signal Vehicular traffic facing the signal shall stop before entering the nearest crosswalk at the intersection or at such other point as may be designated by the proper traffic authority. However, if such stop cannot be made in safety, a vehicle may be driven cautiously through the intersection No pedestrian facing such signal shall enter the roadway

(3) Red alone or "Stop." Vehicular traffic facing the signal shall stop before entering the nearest crosswalk at an intersection or at such other point as may be designated by the proper traffic authority. Except as provided in ORS 483 132, such traffic shall remain standing until green or "Go" is shown alone No pedestrian facing such signal shall enter the roadway

(4) Red with green arrow Vehicular traffic facing such signal may cautiously enter the intersection only to make the movement indicated by such arrow, but shall not interfere with other traffic or endanger pedestrians lawfully within a crosswalk No pedestrian facing such signal shall enter the roadway

(5) Green arrow alone. Vehicular traffic facing such signal may cautiously enter the intersection only to make the movement indicated by such arrow but shall not interfere with other traffic or endanger pedestrians lawfully within a crosswalk Pedestrians facing such signal may proceed across the roadway within any marked or unmarked cross-

walk unless prohibited from doing so by other signs or signals. [Amended by 1953 c.17 §2]

483.132 Turning vehicles at intersections when signal is "Go" or "Stop." The driver of a vehicle or the motorman of a streetcar or trolley bus intending to turn to the right or left at an intersection where traffic is controlled by traffic control signals or by a police officer, unless otherwise directed by a police officer or by official traffic signs or special signals.

(1) Upon the green or "Go" signal alone, shall proceed to make either turn with proper care to avoid accident

(2) Upon the red or "Stop" signal alone, may, after stopping, cautiously proceed to make a right turn into a two-way street, or either a right or left turn into a one-way street in the direction of traffic upon the one-way street, with proper care to avoid accident

483.134 Effect of "Walk" and "Wait" signals. Pedestrian control signals exhibiting the words "Walk" or "Wait" shall indicate as follows:

(1) "Walk." Pedestrians facing such signal may proceed across the roadway in the direction of the signal and shall be given the right of way by the drivers of all vehicles

(2) "Wait" No pedestrian shall start to cross the roadway in the direction of such signal. Any pedestrian who has partially completed his crossing on the "Walk" signal shall proceed to a sidewalk or safety island while the "Wait" signal is showing

483.136 Effect of flashing signals. Whenever flashing red or yellow signals are used they shall require obedience by vehicular traffic as follows.

(1) When a red lens is illuminated by rapid intermittent flashes, drivers of vehicles shall stop before entering the nearest crosswalk at an intersection or at such other point as may be designated by the proper traffic authority. The right to proceed is subject to the rules applicable after making a stop at a stop sign.

(2) When a yellow lens is illuminated with rapid intermittent flashes, drivers of vehicles may proceed through the intersection or past such signal only with caution

483.138 Certain signs prohibited along highways. (1) No person shall place, maintain or display upon or in view of any street

or highway, any unofficial sign, signal or device which purports to be or is an imitation of or resembles an official traffic sign or signal, or which bears the words "Stop," "Go Slow," "Caution," "Danger," "Warning" or similar words, or which attempts to direct the movement of traffic, or which hides from view or interferes with the effectiveness of any official traffic sign or signal

(2) No person shall erect or maintain upon any street or highway any traffic or highway sign or signal bearing thereon any commercial advertising

(3) This section does not prohibit the erection or maintenance of signs, markers or signals bearing thereon the name of an organization authorized to erect the same by the appropriate public authority

(4) Every prohibited sign, signal or device is hereby declared to be a public nuisance, and the authority having jurisdiction over the highway may remove it, or cause it to be removed, without notice

483.140 Damaging or removing sign or signal. No person shall deface, injure, knock down or remove any official traffic sign or signal placed or erected as provided in this chapter

483.142 to 483.200 [Reserved for expansion]

RIGHT OF WAY; PEDESTRIANS; GRADE CROSSINGS

483.202 Right of way at intersections.

(1) Drivers, when approaching highway intersections, shall look out for and give right of way to vehicles on the right, simultaneously approaching a given point, whether such vehicle first enters and reaches the intersection or not. This subsection does not apply at any intersection where and when traffic is controlled by traffic control signals or police officers. Any driver entering an intersection at an unlawful speed shall forfeit any right of way he would otherwise have under this subsection

(2) The driver of any vehicle who has stopped as required by law at the entrance to a through highway shall yield to the other vehicles within the intersection or approaching so closely on the through highway as to constitute an immediate hazard. Having so yielded, such driver may proceed, and other vehicles approaching the inter-

section on the through highway shall yield to the vehicle so proceeding into or across the through highway.

(3) The driver of a vehicle within an intersection intending to turn to the left shall yield to any vehicle approaching from the opposite direction which is within the intersection or so close thereto as to constitute an immediate hazard. Having so yielded and having given a signal when and as required by law, the driver may make such left turn, and other vehicles approaching the intersection from the opposite direction shall yield to him

483.204 Stop signs or markers at entrances to main or through highways or at intersections. (1) The commission with reference to state highways, and local authorities with reference to highways under their jurisdiction, may designate main traveled or through highways by placing at the entrances thereto from intersecting highways signs or markers notifying drivers of vehicles to stop before entering or crossing such designated highways, or may designate particular intersections and place such stop signs or markers at one or more entrances thereto.

(2) Whenever any such signs have been so placed, the driver of any vehicle shall stop in obedience thereto, except where directed to proceed by an officer or traffic control signal.

(3) Such signs and markers shall be placed as near as practicable to, and the stop shall be made at the place where, the cross street meets the prolongation of the nearest property line of the through highway.

(4) Every such sign or marker shall conform to specifications approved by the commission, and shall be illuminated at night or so placed as to be illuminated by the headlights of an approaching vehicle or by street lights.

277 Pad
787 **483.206 Vehicles entering highway from private road.** The driver of a vehicle entering a public highway from a private road or drive shall stop and yield the right of way to all vehicles approaching on such public highway, except where traffic control signals or other traffic control devices required and installed by the commission, or pursuant to the order of the Public Utilities Commissioner, indicate that the driver may proceed without stopping

483.208 Stopping to permit emergency vehicle to pass. (1) Upon the approach of any authorized emergency vehicle giving audible signal by bell, siren or exhaust whistle, the driver of every other vehicle shall yield the right of way and immediately drive to a position as near as possible and parallel to the right-hand edge or curb of the highway, clear of any intersection of highways, and shall stop and remain in such position unless otherwise directed by a police officer until the authorized emergency vehicle has passed.

(2) The motorman of every street car shall immediately stop such car clear of any intersection and keep it in such position until the authorized emergency vehicle has passed, unless otherwise directed by a police officer.

(3) This section does not operate to relieve the driver of an authorized emergency vehicle from the duty to drive with due regard for the safety of all persons using the highway, nor does it protect the driver of any such vehicle from the consequences of an arbitrary exercise of such right of way

483.210 Rights of pedestrian when no traffic signals. (1) When traffic control signals, if any, are not in operation, a driver of a vehicle shall stop and yield the right of way to a pedestrian crossing the roadway within any marked crosswalk or within any unmarked crosswalk at an intersection, if the pedestrian is on the half of the roadway on and along which the vehicle is traveling or is approaching such half from the other half of the roadway so closely as to be in danger; but in proceeding to cross, or in crossing, the roadway the pedestrian shall not leave a curb or other place of safety suddenly and move into the path of a vehicle which is so close that it is impossible for the driver to yield

(2) Any pedestrian crossing a roadway at any point where a pedestrian tunnel or overhead crossing is available for use shall yield the right of way to all vehicles upon the roadway.

(3) Whenever any vehicle has stopped in compliance with this section at a marked crosswalk or at an unmarked crosswalk at an intersection to permit a pedestrian to cross the roadway, the driver of any other vehicle approaching from the rear shall not cause or allow the front end of his vehicle to pass beyond the front end of the stopped vehicle.

(4) Every pedestrian crossing a roadway at any place other than within a marked or unmarked crosswalk shall yield the right of way to vehicles upon the roadway. Local authorities in their respective jurisdictions may by ordinance prohibit any pedestrian from crossing any street or highway at any place other than within a marked or unmarked crosswalk

(5) This section does not relieve the driver of a vehicle or a pedestrian from the duty to exercise due care.

(6) The commission and local authorities in their respective jurisdictions may establish marked crosswalks and designate them upon the street or highway area by proper marking signs or signals, or both, and may close any marked or unmarked crosswalk and prohibit pedestrians from crossing the roadway at such closed crosswalk by erecting proper signs or signals, or both. [Amended by 1953 c.18 §2]

483.212 Pedestrian's rights when there are traffic officers. (1) At intersections where traffic is controlled by police officers, drivers of vehicles, including those making turns, shall yield the right of way to pedestrians crossing or those who have started to cross the roadway on a "Go" signal; and pedestrians shall yield the right of way to vehicles lawfully proceeding directly ahead on a "Go" signal.

(2) Local authorities in their respective jurisdictions may by ordinance require that at intersections where traffic is controlled by police officers, pedestrians shall not cross a roadway against a "Stop" signal, provided that where signal changes are augmented by a ringing of a bell, pedestrians shall be permitted to proceed across the roadway upon the ringing of the first bell

483.214 Rights of blind pedestrian with white cane; use of white canes restricted. (1) Any driver of a vehicle or streetcar approaching a pedestrian who is wholly or partially blind and is carrying a cane or walking stick white in color or white with red, shall immediately come to a full stop and take such precaution before proceeding as may be necessary to avoid accident or injury to such pedestrian

(2) No person other than one wholly or partially blind or otherwise seriously handicapped shall carry or use on the streets, highways and public places of this state any cane or walking stick which is white in

color or white with a red end on the bottom. Such canes or walking sticks may be used on the streets and other public places of the state by persons fully or partially blind or otherwise seriously handicapped as a means of protecting them and for purposes of identification to drivers of vehicles or street cars, and other pedestrians with whom they may come in contact

483.216 Crossing on right half of crosswalk. Pedestrians shall move, whenever practicable, upon the right half of crosswalks

483.218 Standing in roadway to solicit ride. No person shall stand in a roadway for the purpose of soliciting a ride from the driver of any private vehicle

483.220 Pedestrians to use left-hand side of rural highway. Pedestrians, when using any highway outside of incorporated cities, shall use the left-hand side of such highway so as to leave the right-hand side free for vehicles passing in the same direction and for safety in meeting vehicles proceeding in the opposite direction

483.222 Stopping before driving onto sidewalk from alley, driveway or building. The driver of a vehicle within a business or residence district emerging from an alley, driveway or building shall stop such vehicle immediately prior to driving onto a sidewalk or onto the sidewalk area extending across any alleyway.

483.224 Stopping at railroad crossings upon signal of approach of train. Whenever any person driving a vehicle approaches a highway and interurban or steam railway grade crossing and a clearly visible and positive signal gives warning of the immediate approach of a railway train or car, the driver of the vehicle shall stop the vehicle before traversing such grade crossing

483.226 Stop signs at dangerous railroad crossings. The commission with reference to state highways and local authorities with reference to highways under their jurisdiction may designate particularly dangerous grade crossings of steam or interurban railways by highways and erect signs thereat notifying drivers of vehicles upon any such highway to come to a complete stop before crossing the railway tracks. Whenever such signs are erected at a crossing, every driver of a vehicle shall stop not less than 10 nor more than 50 feet from

the railway tracks before traversing such crossing.

483.228 Busses, and trucks carrying inflammables or explosives, required to stop at railroad crossings. (1) Except as provided in subsections (2) and (3) of this section, the driver of any motor bus designed for, or carrying passengers for hire, or any motor truck carrying explosive substances or inflammable liquids as a cargo or part of a cargo, before crossing at grade any tracks of a steam or interurban electric railway, shall stop such vehicle not less than 10 nor more than 50 feet from the nearest rail of such track, and while so stopped shall look and listen in both directions along such track for approaching trains or cars.

(2) This section does not apply:

(a) At the crossing of a street or highway and street railway tracks;

(b) To interurban electric tracks where traffic control signals are in operation and give indication to approaching vehicular traffic to proceed;

(c) To any railway tracks upon which operation has been abandoned;

(d) To industry track crossings across which train operations are required by law to be conducted under flag protection; or

(e) To industry track crossings within districts in which the indicated speed of vehicles is 20 miles per hour

(3) Unless a train is approaching, motor vehicles carrying passengers for hire are not required to stop at crossings where the commission has determined and plainly marked that no stop need be made

483.230 Moving heavy equipment over railroad tracks. Any person operating any caterpillar tractor, steam shovel, derrick, roller or any equipment or structure having a normal operating speed of four or less miles per hour or a vertical load or body clearance of less than nine inches above the level surface of a roadway shall, before crossing at grade any tracks of a steam or interurban electric railway, notify a responsible officer of such railway in time for protection to be afforded before crossing such tracks. In crossing such railway tracks he shall first stop such vehicle or equipment not less than 10 nor more than 50 feet from the nearest rail, and while so stopped shall look and listen in both directions along such track for approaching trains or cars. He

shall not in any event traverse such crossing when warned by any means of the immediate approach of a railway train or car.

483.232 Log trucks required to stop at railroad crossings. Except as to crossings exempted under ORS 483.234, the driver of any motor vehicle carrying logs or piling as a cargo or part of a cargo, before crossing at grade any railroad track, shall stop such vehicle not less than 10 nor more than 50 feet from the nearest rail of such track, and while so stopped shall look and listen in both directions along such track for approaching railway trains, engines or cars

483.234 Procedure for exempting log trucks from crossing stops. (1) Upon petition of any interested person, municipal corporation, association or public agency of this state, the Public Utilities Commissioner shall investigate the facts as to any particular grade crossing designated in the petition. If upon investigation the commissioner finds that public safety and the safety of operation of trains does not require the stoppage of such motor vehicles as provided in ORS 483.232, he shall enter an order to that effect. Thereafter and until such order is amended, revised or set aside, ORS 483.232 shall not apply to any grade crossing enumerated in the order

(2) After any such order is entered by the commissioner, any interested person, municipal corporation or public agency may by petition allege that since the entry of the order conditions at such crossing have changed and that public safety or the safe operation of railroad trains requires that the order exempting any such crossing be set aside and rescinded. Thereupon the commissioner shall again investigate the facts as to the crossing designated in the petition. If upon such investigation the commissioner finds that public safety or the safety of operation of railroad trains requires the stoppage of motor vehicles under ORS 483.232, the commissioner shall enter an order setting aside and revoking his former order exempting such crossing from the operation of such section, and from and after the date of the entry of the revoking order the provisions of ORS 483.232 shall again be applicable to such crossing

483.236 to 483.300 [Reserved for expansion]

**PROPER POSITION ON HIGHWAY;
MISCELLANEOUS RULES OF ROAD**

483.302 Duty to drive on right half of the highway. (1) Upon all highways of sufficient width, other than one-way highways, the driver of a vehicle shall drive on the right half of the highway except when:

(a) The right half is out of repair and for that reason is impassable; or

(b) When overtaking and passing another vehicle in accordance with ORS 483.308.

(2) In driving upon the right half of a highway the driver shall drive as close as practicable to the right-hand edge or curb of the highway except when overtaking or passing another vehicle, or when placing a vehicle in position to make a left turn.

(3) In approaching any bridge, viaduct or tunnel, or approaching or crossing a railroad right of way or an intersection of highways, the driver of a vehicle shall at all times cause the vehicle to travel on the right half of the highway unless such right half is out of repair and for that reason is impassable. This subsection does not apply upon a one-way street

(4) In driving upon a one-way highway the driver shall drive as close as practicable to the right-hand edge or curb of the highway except when overtaking, passing or traveling parallel with another vehicle, or when placing a vehicle in position to make a left turn.

483.304 Normal position of vehicles when highway divided into lanes. Whenever any street or highway has been divided into clearly marked lanes for traffic, drivers of vehicles shall obey the follow regulations:

(1) A vehicle shall normally be driven in the lane nearest the right-hand edge or curb of the highway when that lane is available for travel except when overtaking another vehicle or in preparation for a left turn.

(2) A vehicle shall be driven as nearly as is practicable entirely within a single lane and shall not be moved from such lane until the driver has first ascertained that such movement can be made with safety

(3) Upon a highway which is divided into three lanes a vehicle shall not be driven in the center lane except when overtaking and passing another vehicle or in preparation for a left turn, or unless such center lane is at the time allocated exclusively to traffic moving in the direction the vehicle

is proceeding and is signposted to give notice of such allocation.

483.306 Passing vehicles proceeding in opposite direction. Drivers of vehicles proceeding in opposite directions shall pass each other to the right, each giving to the other at least one-half of the main traveled portion of the roadway as nearly as possible.

483.308 When passing is permitted. (1) The driver of a vehicle shall not drive to the left side of the center line of a highway in overtaking and passing another vehicle proceeding in the same direction unless such left side is clearly visible and is free of on-coming traffic for a sufficient distance ahead to permit such overtaking and passing to be completely made without impeding the safe operation of any vehicle approaching from the opposite direction or any vehicle overtaken.

(2) The driver of a vehicle shall not in any event drive to the left side of the center line of a highway:

(a) When approaching the crest of a grade or upon a curve in the highway where the driver's view along the highway is obstructed within a distance of 500 feet; or

(b) Upon any highway of sufficient width for four or more lanes of moving traffic unless more than two of such four lanes are at the time allocated exclusively to traffic moving in the direction the vehicle is proceeding and is signposted to give notice of such allocation

(3) The driver of a vehicle shall not overtake and pass any other vehicle proceeding in the same direction at any steam or electric railway grade crossing or at any intersection of highways, unless such movement can be made in safety.

483.310 Method of passing. (1) The driver of a vehicle overtaking another vehicle proceeding in the same direction shall pass to the left thereof at a safe distance, and shall not again drive to the right side of the highway until safely clear of such overtaken vehicle.

(2) The driver of an overtaken vehicle shall give way to the right in favor of the overtaking vehicle on suitable and audible signal, and shall not increase the speed of his vehicle until completely passed by the overtaking vehicle.

(3) When two or more vehicles are moving in the same direction in parallel lanes upon the right half of the paved part of a

city street or upon any hard-surfaced highway having space for two or more lanes of traffic in each direction, the provisions of subsections (1) and (2) of this section do not prohibit the vehicles in the right-hand lane from overtaking or passing those in the left-hand lane, nor prohibit a driver's overtaking and passing upon the right another vehicle which is making, or about to make, a left turn

(4) Whenever the operation of a vehicle proceeding in the same direction may be affected by such action, the driver of an overtaking vehicle shall give a clearly audible signal thereof by sounding the horn or other warning device before attempting to pass or passing such overtaken vehicle

483.312 Proper distance when following other vehicles. (1) The driver of a motor vehicle shall not follow another vehicle more closely than is reasonable and prudent, having due regard to the speed of such vehicles and the traffic upon and condition of the highway

(2) The driver of any motor truck or motor bus when traveling upon a highway outside of a business or residence district shall not follow another motor truck or motor bus within 300 feet, but this shall not be construed to prevent one motor truck or motor bus from overtaking and passing another. [Amended by 1953 c.598 §2]

483.314 Passing horses or other animals. (1) The operator of a motor vehicle shall, when a person riding, leading or driving a horse or other animal

(a) In the opposite direction signals by raising his hand, bring such motor vehicle immediately to a stop, and remain stationary so long as may be reasonable to allow such animal to pass

(b) Is traveling in the same direction, use reasonable caution in passing such animal.

(2) If such animal appears badly frightened or the person operating the motor vehicle is signaled so to do, he shall cause the motor of such vehicle to cease running so long as shall be reasonably necessary to prevent accident and insure the safety of others.

483.316 Turns at intersections. (1) The driver of a vehicle intending to turn at an intersection shall observe the following rules

(a) The approach for a right turn shall be made in the lane for traffic nearest to the right-hand side of the highway and the

right turn shall be made as close as practicable to the right-hand curb or edge of the highway

(b) Except as provided in paragraphs (c), (d) and (e) of this subsection, the approach for a left turn shall be made in the lane for traffic to the right of and nearest to the center line of the highway, and the left turn shall be made by passing to the right of such center line where it enters the intersection, and upon leaving the intersection by passing to the right of the center line of the highway then entered This paragraph does not apply to passenger vehicles actually engaged in loading or unloading passengers at an intersection prior to making a left turn

(c) The approach for a left turn from a two-way street into a one-way street shall be made in the lane for traffic to the right of and nearest to the center line of the highway and by passing to the right of the center line where it enters the intersection Upon leaving the intersection, entry into the one-way street shall be made as close as practicable to the left-hand curb of the street being entered.

(d) The approach for a left turn from a one-way street into a two-way street shall be made in the lane for traffic nearest to the left-hand curb The turn shall be made by passing to the right of the center line of the street being entered and by driving into the lane for traffic to the right of and nearest to the center line

(e) The approach for a left turn from a one-way street into a one-way street shall be made in the lane for traffic nearest to the left-hand curb or edge of the highway and the left turn shall be made as close as practicable to the left-hand curb or edge of the highway

(2) Local authorities in their respective jurisdictions may, by placing markers, buttons or signs within intersections, require and direct that a course be traveled by vehicles turning left different from that specified in subsection (1) of this section. The driver of a vehicle shall not make a left turn otherwise than as directed and required by such markers, buttons or signs.

(3) The commission or local authorities in their respective jurisdictions may, by placing markers, buttons or signs at an intersection, prohibit a left or right turn, or both, at such intersection

483.318 U-turns prohibited. The driver of a vehicle shall not turn such vehicle around so as to proceed in the opposite direction

(1) Upon any curve or upon the approach to or near the crest of a grade;

(2) Upon any street or highway within any incorporated city of this state, between intersections;

(3) Where by the placing of markers, buttons or signs reverse turns have been prohibited by authority of the commission or local authorities in their respective jurisdictions; or

(4) At any place upon a highway where the view of such vehicle is obstructed within a distance of 500 feet along the highway in either direction

483.320 Parking vehicle on highway outside of business or residential district. (1) No person shall park or leave standing any vehicle, whether attended or unattended, upon the paved, improved or main traveled portion of any highway, outside a business or residence district, when it is practicable to park or leave such vehicle standing off such portion of the highway, and in no event shall any person park or leave standing any vehicle, whether attended or unattended, upon any highway unless a clear and unobstructed width of not less than 16 feet upon the main traveled portion of the highway opposite such standing vehicle is left for free passage of other vehicles thereon, nor unless a clear view of such vehicle may be obtained from a distance of 200 feet in each direction upon the highway.

(2) Whenever any police officer finds a vehicle standing upon a highway in violation of this section, he may move such vehicle or require the driver or person in charge of such vehicle to move it to a position permitted under this section.

(3) This section does not apply to the driver of any vehicle which is disabled while on the paved, improved or main traveled portion of a highway in such manner and to such extent that it is impossible to avoid stopping and temporarily leaving the vehicle in such position, or to emergency cars or vehicles of the police, traffic or sheriff's office, or the fire department, or ambulances, where such vehicles at the time are actually used in an emergency which necessitates a violation of this section.

(4) Whenever the operator of a wrecker or tow car engaged in the salvaging of

another vehicle finds it necessary to stop his vehicle so as to obstruct the roadway, he shall place at a suitable distance in each direction upon such roadway suitable signs or signals warning the drivers of oncoming vehicles of his operations. The signs or signals shall be of a design approved by the commission.

483.322 Specific places where parking prohibited. No driver of a vehicle shall stop, stand or park it, whether attended or unattended, except when necessary to avoid conflict with other traffic or in compliance with the directions of a police officer or traffic control signal, in any of the following places:

(1) Within an intersection

(2) On a crosswalk

(3) Between a safety zone and the adjacent curb or within 30 feet of points on the curb immediately opposite the ends of a safety zone, unless local or traffic authorities indicate a different length by signs or markings.

(4) Within 25 feet from the intersection of curb lines, or, if none, within 15 feet of the intersection of property lines at an intersection within a business or residence district, except at alleys

(5) Within 30 feet upon the approach to any official flashing beacon, stop sign or traffic control signal located at the side of the roadway.

(6) Within 15 feet of the driveway entrance to any fire station

(7) Within 10 feet of a fire hydrant.

(8) In front of a private driveway.

(9) On a sidewalk.

(10) Alongside or opposite any street or highway excavation or obstruction when such stopping, standing or parking would obstruct traffic.

(11) On the roadway side of any vehicle stopped or parked at the edge or curb of a highway.

(12) At any place where official traffic signs have been erected prohibiting standing and parking.

(13) Within a 25 foot radius of the intersection of the center lines of a highway and a steam or interurban railway crossing.

483.324 Precautions when vehicle allowed to stand on highway or grade. No person having control or charge of a motor vehicle shall allow it to stand on any highway unattended without first effectively setting its brakes and stopping its motor, and when standing upon any perceptible grade, without

turning the front wheels of such vehicle to the curb or side of the highway

483.326 Stopping for streetcars and busses. (1) Except on one-way streets or on streets where the tracks are so located as to prevent compliance, the driver of a vehicle shall not overtake and pass upon the left any streetcar proceeding in the same direction, whether actually in motion or temporarily at rest

(2) The driver of a vehicle overtaking any streetcar, trolley bus or motor bus stopped or about to stop for the purpose of receiving or discharging any passenger, shall stop such vehicle to the rear of the nearest running board or door of such streetcar or bus and keep it stationary until all passengers have boarded or alighted therefrom and reached a place of safety. However, where a safety zone has been established in the street area, or the trolley bus or motor bus has stopped at the curb, a vehicle need not be stopped before passing such streetcar or bus, but may proceed past it at a speed not greater than is reasonable and proper, and with due caution for the safety of pedestrians. This subsection does not apply to passing upon the left any streetcar, trolley bus or motor bus on a one-way street

483.328 Driving or crossing in front of streetcars. (1) No driver of any vehicle proceeding upon any streetcar track in front of a streetcar upon a street shall fail to remove such vehicle from the track as soon as practicable after signal from the operator of the streetcar.

(2) When a streetcar has started to cross an intersection, no driver of a vehicle shall drive upon or cross the car tracks, within the intersection in front of the streetcar.

483.330 Following fire apparatus or parking in vicinity of fire. No driver of any vehicle other than one on official business shall follow closer than 500 feet any fire apparatus traveling in response to a fire alarm, or drive into or park such vehicle within the block where fire apparatus has stopped in answer to a fire alarm, or within three blocks of a point where a fire is in progress.

483.332 Driving vehicle or streetcar over fire hose. No streetcar or vehicle shall be driven over any unprotected hose of a fire department when laid down on any street,

private driveway or streetcar track, for use at any fire or alarm of fire, without the consent of the fire department in command.

483.334 Driving through or over safety zones. The driver of a vehicle shall not at any time drive through or over a safety zone.

483.336 Coasting upon down grade. The driver of a motor vehicle when traveling upon a down grade upon any highway shall not coast with the gears of such vehicle in neutral, nor shall the driver of a motor truck coast with the clutch of such vehicle disengaged.

483.338 Driving through defiles, canyons, or mountain highways. The driver of a motor vehicle traversing defiles, canyons or mountain highways shall hold such vehicle under control and as near the right-hand side of the highway as reasonably possible, and upon approaching any curve where the view is obstructed within a distance of 200 feet along the highway shall give audible warning with a horn or other warning device.

483.340 [Repealed by 1953 c 124 §2]

483.342 [Repealed by 1953 c 124 §2]

483.344 [Repealed by 1953 c.124 §2]

483.346 Authority of highway commission to control parking on state highways. The State Highway Commission shall have exclusive authority to regulate, control or prohibit the parking of motor vehicles upon the right of way of any state highway outside the corporate limits of incorporated cities and towns, and upon the right of way of any section of any state highway within the corporate limits of any incorporated city or town, if access to or from said section of highway and real property abutting thereon was restricted, controlled or prohibited by the highway commission before said section of highway was included within the corporate limits of an incorporated city or town, and if said section of highway was included within the corporate limits of an incorporated city or town by incorporation, annexation or extension of corporate limits occurring after July 21, 1953. [1953 c 587 §1]

483.348 Entry of commission's parking regulations in official records; erecting appropriate signs; regulations as having force of law. (1) All regulations, restrictions or prohibitions imposed by the State Highway Commission under authority of ORS 483.346 shall be by resolution or order entered in

official records of the State Highway Commission.

(2) The commission shall place and maintain appropriate signs or markings giving notice of all such regulations, restrictions or prohibitions at such places as may be necessary to inform the public, and such regulations, restrictions or prohibitions shall be effective and shall have the force of law when the signs or markings giving notice thereof have been placed. [1953 c.587 §3]

483.350 Authority of municipalities to control parking on state highways. Except as provided in ORS 483.346, the municipal authorities of incorporated cities and towns shall have exclusive authority to regulate, control or prohibit the parking of motor vehicles upon the right of way of any state highway within the corporate limits of an incorporated city or town, and upon any city street selected and designated as the route of a state highway pursuant to the provisions of ORS 373.010, but shall not authorize or require angle or diagonal parking upon any such street or highway without the written consent of the State Highway Commission when a competent traffic survey made by either the State Highway Commission or the city discloses that such street or highway is too narrow to permit angle or diagonal parking and the safe and expeditious movement of traffic. [1953 c.587 §2]

483.352 to 483.400 [Reserved for expansion]

LIGHTS AND OTHER EQUIPMENT ON VEHICLES

483.402 When lights are required to be on; application of visibility and height provisions. (1) Every vehicle upon a highway within this state at any time from a half-hour after sunset to a half-hour before sunrise and at any other time when there is not sufficient light to render persons and vehicles clearly discernible on such highway at a distance of 500 feet ahead, shall display lighted lamps and illuminating devices as specified in ORS 483.402 to 483.442, subject to the specific exceptions with respect to parked vehicles.

(2) Whenever ORS 483.402 to 483.442 specify:

(a) The distance from which lamps and devices shall render objects visible or within which lamps or devices shall be visible, such provisions shall apply during the times stated in subsection (1) of this section upon a

straight, level unlighted highway under normal atmospheric conditions, unless a different time or condition is expressly stated.

(b) The mounted height of lamps or devices, they mean from the center of such lamp or device to the level ground upon which the vehicle stands.

483.404 Head lights required; lighting equipment on bicycles. (1) Every motor vehicle other than a motorcycle shall be equipped with two head lamps, one on each side of the front of the vehicle.

(2) Every motorcycle shall be equipped with at least one and not more than two head lamps.

(3) Every bicycle shall be equipped with a lamp on the front exhibiting a white light visible from a distance of at least 500 feet to the front of such bicycle, and a red reflector on the rear, of such size or characteristics and so mounted as to be visible at night from all distances within 300 feet to 50 feet from the rear of such bicycle. A red light visible from a distance of 500 feet to the rear may be used in addition to the rear reflector.

483.406 Tail lights required. (1) Every motor vehicle, trailer, semitrailer, and pole trailer or other vehicle being drawn at the end of a train of vehicles, shall be equipped with at least one tail lamp mounted on the rear which when lighted emits a red light plainly visible from a distance of 500 feet to the rear. In the case of a train of vehicles only the tail lamp on the rearmost vehicle need actually be visible from the distance specified.

(2) Either a tail lamp or a separate lamp shall be so constructed and placed as to illuminate with a white light the rear registration plate and render it clearly legible from a distance of 50 feet to the rear.

(3) Any tail lamp, together with any separate lamp for illuminating the rear registration plate, shall be wired so as to be lighted whenever the head lamps or auxiliary driving lamps are lighted.

483.408 Rear reflectors required. Every new motor vehicle, other than a truck tractor, sold after January 1, 1940, and operated upon a highway, shall carry on the rear, either as parts of the tail lamps or separate, two red reflectors, mounted one on either side of the rear of the vehicle, except that vehicles of the types mentioned in ORS 483.410 shall be equipped with reflectors as required in that section. Every such reflector shall be mounted on a motor vehicle at a height not less than 24

inches nor more than 60 inches above the ground on which the vehicle stands and shall be of such size or characteristics and so mounted as to be visible at night from all distances within 300 feet to 50 feet from such vehicle, except where visibility from a greater distance is required in ORS 483.410 to 483.442 of reflectors on certain types of vehicles.

483.410 Reflectors, clearance and marker lamps, and stop lights on various vehicles. In addition to other equipment required by this chapter, the following vehicles when operated upon a highway shall be equipped as follows.

(1) Every motor bus or motor truck, except as provided in subsection (10) of this section:

(a) On each side, one reflector at or near the rear.

(b) On the rear, two reflectors, one at each side and one stop light.

(2) In addition to the requirements of subsection (1) of this section, every motor bus or motor truck 80 inches or more in overall width and less than 30 feet in overall length.

(a) On the front, two clearance lamps, one at each side.

(b) On the rear, two clearance lamps, one at each side.

(3) In addition to the requirements of subsections (1) and (2) of this section, every motor bus or motor truck 30 feet or more in overall length, regardless of its width, except as provided in subsection (10) of this section:

(a) On each side, two side marker lamps, one at or near the front and one at or near the rear.

(b) On each side, one reflector at or near the front.

(4) Every truck tractor, the cab of which is as wide as or wider than any vehicle being drawn by it:

(a) On the front, two clearance lamps, one at each side.

(b) On each side, one side marker lamp at or near the front.

(5) Every trailer or semitrailer having a gross weight in excess of 3,000 pounds, and wider than the cab of the truck or truck tractor drawing it:

(a) On the front, two clearance lamps, one on each side.

(b) On each side, two side marker lamps, one at or near the front and one at or near the rear.

(c) On each side, two reflectors, one at or near the front and one at or near the rear.

(d) On the rear, two clearance lamps, one at each side, and two reflectors, one at each side, and one stop light.

(6) Every trailer or semitrailer having a gross weight in excess of 3,000 pounds, and of the same width or less than the truck or cab of the truck tractor drawing it:

(a) On each side, one side marker lamp near the rear.

(b) On each side, two reflectors, one at or near the rear.

(c) On the rear, two clearance lamps, one at each side.

(d) On the rear, two reflectors, one at each side and one stop light.

(7) Every pole trailer in excess of 3,000 pounds gross weight:

(a) On each side, one side marker lamp and one clearance lamp, which may be in combination, to show to the front, side and rear, and may be unmounted or detached during daylight hours.

(b) On the rear of the pole trailer or load two reflectors, one at each side.

(8) Every trailer, semitrailer and pole trailer of 3,000 pounds gross weight or less, on the rear, two reflectors, one at each side.

(9) Any trailer, semitrailer or pole trailer which is so loaded or is of such dimensions as to obscure the stop light on the towing vehicle, on the rear, one stop light.

(10) Subsections (1) and (3) of this section do not apply to motor busses being operated wholly within the limits of incorporated cities and along fixed routes as specified by the terms of a definite franchise with the city in which the busses are operated.

483.412 Color of lamps and reflectors; when certain lamps need not be lighted. (1)

Front clearance lamps and those marker lamps and reflectors mounted on the front or on the side near the front of a vehicle shall display or reflect an amber color.

(2) Rear clearance lamps and those marker or reflector lamps and reflectors mounted on the rear or side near the rear of a vehicle shall display or reflect a red color.

(3) All lighting devices and reflectors mounted on the rear of any vehicle shall display or reflect a red color except:

(a) The stop light or other signal device may be red, amber or yellow; and

(b) The light used only to illuminate the license plate shall be white.

(4) Clearance and side marker lamps need not be lighted on a vehicle when operated within a municipality where there is sufficient light to render persons and vehicles clearly discernible on the highway at a distance of 500 feet.

483.414 Mounting reflectors and clearance lamps. (1) Reflectors shall be mounted at a height not less than 24 inches and not more than 60 inches above the ground on which the vehicle stands, except that if the highest part of the permanent structure of the vehicle is less than 24 inches, the reflector at such point shall be mounted as high as the permanent structure will permit

(2) The rear reflectors on pole trailers may be mounted on each side of the bolster or load

(3) Any required red reflector on the rear of a vehicle may be incorporated with the tail light, but such reflector shall meet all the other reflector requirements of ORS 483 402 to 483.422.

(4) Clearance lamps shall be mounted on the permanent structure of the vehicle in such a manner as to indicate its extreme width and as near the top thereof as practicable. Clearance lamps and side marker lamps may be mounted in combination, if illumination is given as required with reference to both.

(5) The light and reflector devices required in ORS 483 410 shall be mounted, so far as practicable, in such manner as to reduce the hazard of being obscured by mud or dust thrown by the wheels

483.416 Visibility of reflectors, clearance and marker lamps, and stop lights. (1) Every reflector shall be of such size and characteristics and so maintained as to be readily visible at night from a distance within 500 feet to 50 feet from the vehicle when directly in front of lawful upper beams of head lamps. Reflectors required to be mounted on the sides of the vehicle shall reflect the required color of light to the sides and those mounted on the rear shall reflect a red color to the rear.

(2) Front and rear clearance lamps, and side marker lamps, shall be capable of being seen and distinguished under normal atmospheric conditions, at the times lights are required, at a distance of 500 feet from

(a) The front of the vehicle, in the case of front clearance lamps.

(b) The rear of the vehicle, in the case of rear clearance lamps.

(c) The side of the vehicle, in the case of side marker lamps

(3) Stop lights shall be actuated upon application of the service brake and shall be capable of being seen and distinguished from a distance of 100 feet to the rear of the vehicle in normal daylight, but shall not project a glaring or dazzling light. A stop light may be incorporated with a tail lamp.

483.418 Lighting required for a combination of vehicles. Whenever motor and other vehicles are operated in combination during the time that lights are required, any lamp, except the tail lamp, which by reason of its location on a vehicle of the combination would be obscured by another vehicle of the combination, need not be lighted; but this shall not affect the requirement that lighted clearance lamps be displayed on the front of the foremost vehicle required to have clearance lamps nor the requirement that all lights on the rear of the rearmost vehicle of any combination be lighted

483.420 Lights required on parked vehicles. Whenever a vehicle is parked or stopped upon a roadway or shoulder adjacent thereto, whether attended or unattended, during the times mentioned in ORS 483 402, it shall be equipped with one or more lamps which shall exhibit a white light on the roadway side of the vehicle visible from a distance of 500 feet to the front of such vehicle and a red light visible from a distance of 500 feet to the rear of such vehicle. However, local authorities may provide by ordinance or resolution that no lights need be displayed upon any such vehicle when stopped or parked in accordance with local parking regulations upon a street or highway, where there is sufficient light to render clearly discernible any person or object within a distance of 500 feet upon such street or highway. Any lighted head lamps upon a parked vehicle shall be depressed or dimmed.

483.422 Lights required on miscellaneous vehicles. All vehicles, including animal-drawn vehicles and vehicles referred to in subsection (3) of ORS 483 032, not specifically required by ORS 483 402 to ORS 483.420 to be equipped with lamps, shall at the times specified in ORS 483 402 be equipped with at least one lighted lamp or lantern

exhibiting a white light visible from a distance of 500 feet to the front of such vehicle and with a lamp or lantern exhibiting a red light visible from a distance of 500 feet to the rear of such vehicle

483.424 Intensity and distribution requirements for head lamps. Except as provided in ORS 483.430, the head lamps or the auxiliary driving lamps or combinations thereof, shall be so arranged on any motor vehicle that the driver may select at will between distributions of light projected to different elevations, subject to the following requirements and limitations:

(1) There shall be an uppermost distribution of light or composite beam, so aimed and of such intensity as to reveal persons and vehicles at a distance of at least 350 feet ahead of such vehicle for all conditions of loading. The maximum intensity of this uppermost distribution of light or composite beam, one degree of arc or more above the horizontal level of the lamps when the vehicle is not loaded, shall not exceed 8,000 apparent candlepower and at no other point of the distribution of light or composite beam shall there be an intensity of more than 75,000 apparent candlepower

(2) There shall be a lowermost distribution of light or composite beam, so aimed that when the vehicle is not loaded, none of the high intensity portion of the light which is directed to the:

(a) Left of the prolongation of the extreme left side of the vehicle shall, at a distance of 25 feet ahead of the vehicle, project higher than eight inches below the level of the center of the lamp from which it comes.

(b) Right of the prolongation of the extreme left side of the vehicle shall, at a distance of 25 feet ahead of the vehicle, project higher than three inches below the level of the center of the lamp from which it comes

(3) In no event shall any of the high intensity of such lowermost distribution of light or composite beam, at a distance of 75 feet ahead of the vehicle, project higher than 42 inches above the level upon which the vehicle stands

(4) Where one intermediate beam is provided, the beam on the left side of the road shall conform to paragraph (a) of subsection

(2) of this section unless arranged as provided in ORS 483.426

(5) All road lighting beams shall be so aimed and of such intensity as to reveal a person or vehicle on a street or highway at a distance of at least 100 feet ahead of the vehicle

483.426 Light indicator visible to driver. Every new motor vehicle registered in this state after January 1, 1940, which has multiple-beam road lighting equipment, shall be equipped with a beam indicator which shall be lighted when, and only when, the uppermost distribution of light from the head lamps is in use. The indicator shall be so designed and located that when lighted it will be readily visible without glare to the driver of the vehicle so equipped

483.428 Distribution and intensity of head lights when on road and when meeting vehicle. (1) Whenever a motor vehicle is being operated on a street or highway during the times specified in subsection (1) of ORS 483.402, the driver shall use a distribution of light or composite beam directed sufficiently high and of such intensity so as to reveal persons and vehicles on such street or highway at a safe distance in advance of the vehicle

(2) Whenever the driver of a vehicle approaches an oncoming vehicle within 500 feet

(a) He shall use a distribution of light or composite beam so aimed that the glaring rays are not projected into the eyes of the oncoming driver.

(b) The high intensity portion of the light which is projected to the left of the prolongation of the extreme left side of the vehicle shall not be aimed higher than the center of the lamp from which it comes at a distance of 25 feet ahead of such vehicle, or higher than 42 inches above the level upon which the vehicle stands at a distance of 75 feet ahead of such vehicle

(3) The lowermost distribution of light specified in paragraph (a) of subsection (2) of ORS 483.424 shall be deemed to avoid glare at all times regardless of road contour and loading of the vehicle

483.430 Requirements when single distribution used. Head lamps arranged to provide a single distribution of light, not supplemented by auxiliary driving lamps, shall be permitted on a motor vehicle in lieu of

multiple-beam road lighting equipment if the single distribution of light complies with the following requirements and limitations:

(1) Head lamps shall be so aimed that when the vehicle is not loaded, none of the high intensity portion of the light shall, at a distance of 25 feet ahead of the vehicle, project higher than five inches below the level of the center of the lamp from which it comes, or higher than 42 inches above the level on which the vehicle stands at a distance of 75 feet ahead of such vehicle

(2) The intensity of the light of single-beam head lamps shall be sufficient to reveal persons and vehicles upon a street or highway at a distance of at least 200 feet ahead of the vehicle to which they are attached.

483.432 Limitations on lights at front of vehicles. (1) Whenever a motor vehicle equipped with head lamps as required in ORS 483 404 is also equipped with any auxiliary lamps or spot lamp or any other lamp on the front thereof projecting a beam of intensity greater than 300 candlepower, not more than a total of four of any such lamps shall be lighted at any one time when upon a street or highway.

(2) Any lighted lamp or illuminating device upon a motor vehicle, other than head lamps, spot lamps or auxiliary driving lamps, which projects a beam of light of an intensity greater than 300 candlepower, shall be so directed that no part of the beam will strike the level of the roadway on which the vehicle stands at a distance of more than 75 feet ahead of such vehicle

(3) No person shall drive or move any vehicle or equipment upon any street or highway with any lamp or device thereon displaying a red light visible from directly in front of the center thereof.

(4) Flashing lights are prohibited on all motor vehicles on any street or highway except as a means for indicating a right or left turn.

(5) Subsection (3) of this section does not apply to, and subsection (4) does not prohibit the display of flashing red lights on, authorized emergency vehicles, school buses, vehicles used by a public utility in making repairs to public utility facilities, and vehicles authorized by police authorities in their respective jurisdictions to escort funeral processions. [Amended by 1953 c 374 §2]

483.434 Spot, auxiliary driving, stop, signal, fender, running board and back-up lamps permitted. Any motor vehicle may be equipped with:

(1) Not to exceed one spot lamp Every lighted spot lamp shall be so aimed and used, upon approaching another vehicle, that no part of the high-intensity portion of the beam will be directed to the left of the prolongation of the extreme left side of the vehicle upon which it is mounted, more than 100 feet ahead of such vehicle.

(2) Not to exceed three auxiliary driving lamps mounted on the front at a height not less than 12 inches nor more than 42 inches above the level surface upon which the vehicle stands. Every such auxiliary lamp shall meet the requirements and limitations set forth in ORS 483 402 to 483 442

(3) A stop signal, lamp or device which is so constructed and located on a vehicle as to give a signal of intention to stop in a red or yellow color visible from the rear for a distance of 100 feet

(4) And when required by law shall be equipped with a device so constructed and located on the vehicle as to give a signal of intention to turn to the right or left. This signal shall be plainly visible and understandable in normal sunlight and at night from a distance of 100 feet to the front and rear but shall not project a glaring or dazzling light. All mechanical signal devices shall be self-illuminated when in use at the times mentioned in subsection (1) of ORS 483 402

(5) Not more than two cowl or fender lamps which shall emit an amber or white light without glare.

(6) Not more than one running board lamp on each side thereof which shall emit a white or amber light without glare.

(7) A back-up lamp either separately or in combination with another lamp A back-up lamp shall not be lighted when the motor vehicle is in forward motion

483.436 Approval of lamps by Secretary of State. (1) No person shall sell or offer for sale for use upon or as a part of the equipment of a motor vehicle, trailer, semi-trailer or pole trailer, or shall use upon any such vehicle, any head lamp, auxiliary driving lamp, tail lamp, signal lamp or reflector, or any part for such a lamp or reflector which changes the original design or performance, unless it is of a type which has been approved by the Secretary of State

(2) No person shall sell or offer for sale for use upon or as a part of the equipment of a motor vehicle, trailer, semitrailer or pole trailer, any lamp or device mentioned in subsection (1) of this section which has been approved by the Secretary of State unless such lamp or device bears thereon the trademark or name under which it is approved so as to be identified readily

(3) No person shall use upon any motor vehicle, trailer, semitrailer or pole trailer any lamps mentioned in ORS 483.402 to 483.442 unless they are equipped with bulbs of a rated candlepower and are mounted and adjusted so as to focus and aim in accordance with the instructions of the Secretary of State

483.438 Procedure before and after lamps are approved. (1) The Secretary of State shall approve or disapprove any head lamp, auxiliary driving lamp, tail lamp, signal lamp or reflector, of a type on which approval is required by ORS 483.436, and set up the procedure which shall be followed when any application covering such device is submitted for approval.

(2) Any manufacturer desiring the approval of any device upon which approval is required shall submit to the Secretary of State an examination certificate from the American Association of Motor Vehicle Administrators and a laboratory report from a recognized testing laboratory showing conformity to the latest standards of the Society of Automotive Engineers and to the requirements of this chapter. Samples of such devices need not be submitted unless specifically requested by the Secretary of State

(3) The Secretary of State, upon approving any such device, shall issue to the applicant a certificate of approval, together with any instructions regarding its use that he deems necessary to insure compliance with the requirements of this chapter.

(4) The Secretary of State shall, from time to time, publish lists of all devices upon which approval is required and which have been approved by him, together with instructions as to the permissible candlepower rating of the bulbs and such other instructions as to adjustment as he deems necessary to insure conformity to the provisions of this chapter. [Amended by 1953 c 629 §2]

483.440 Suspension and renewal of certificates approving lamps. When the Secretary of State has reason to believe that any

device, as it is being sold commercially, does not comply with the requirements under which it was approved pursuant to ORS 483.438, he shall suspend the approval issued therefor until such device is retested by a recognized testing laboratory and is found to meet the requirements of this chapter. He may require that all such devices sold prior to such suspension be replaced with devices which do comply with this chapter. The Secretary of State may at any time purchase in the open market and submit to the testing laboratory one or more sets of any such approved device, and if the device upon retest fails to meet the requirements of this chapter, he may refuse to renew a certificate of approval of such device

483.442 Specifications for lamps for vehicles of public utilities. With respect to vehicles operated under the jurisdiction of the Public Utilities Commissioner of Oregon, such commissioner may adopt standard specifications at variance with those established by ORS 438.402 to 438.434, whenever standard specifications adopted by the Interstate Commerce Commission of the United States are different from those established by those sections. The standard specifications so adopted by the Public Utilities Commissioner shall conform to standard specifications adopted by the Interstate Commerce Commission for vehicles operating in interstate commerce.

483.444 Brakes required. (1) Every motor vehicle other than a motorcycle when operated upon a highway shall be equipped with brakes adequate to control the movement of and to stop and to hold such vehicle, including two separate means of applying the brakes, each of which means shall be effective to apply the brakes to at least two wheels. If these two separate means of applying the brakes are connected in any way, they shall be so constructed that failure of any one part of the operating mechanism shall not leave the motor vehicle without brakes on at least two wheels

(2) Any combination of motor vehicle, trailer, semitrailer or other vehicle shall be equipped with brakes upon one or more of such vehicles adequate to stop such combination of vehicles within the distance specified for motor vehicles under the regulations set forth in subsection (5) of this section.

(3) Every motorcycle, and bicycle with motor attached, when operated upon a high-

way shall be provided with at least one brake, which may be operated by hand or foot.

(4) All brakes shall be maintained in good working order and shall conform to the regulations set forth in subsection (5) of this section.

(5) The brakes of a motor vehicle or combination of vehicles shall be deemed adequate when, on a dry, hard, approximately level stretch of highway, free from loose material, such brakes are capable of stopping the motor vehicle or combination of vehicles, when operating at speeds set forth in the following table, within the distances set opposite such speeds

| Miles per Hour | Stopping Distance |
|----------------|-------------------|
| 10 | 9 3 feet |
| 15 | 20 8 feet |
| 20 | 37 0 feet |
| 25 | 58 0 feet |
| 30 | 83 3 feet |

(6) The test to be used in determining that vehicles meet the performance requirements set forth in subsection (5) of this section shall be conducted as prescribed by the Secretary of State. The test may be conducted by the use of instruments suitable for the purpose approved by the United States Bureau of Standards. No vehicle may be tested for brake efficiency at a speed higher than that permitted by law for such vehicle

483.446 Horns and other sound equipment. (1) Every motor vehicle when operated upon a highway shall be equipped with a horn in good working order, capable of emitting sounds audible under normal conditions from a distance of not less than 200 feet.

(2) Except as otherwise provided in subsection (4) of this section, no vehicle shall be equipped with, and no person shall use upon a vehicle, any bell, siren, compression or exhaust whistle

(3) No person shall, at any time, use a horn otherwise than as a reasonable warning or make any unnecessary or unreasonably loud or harsh sound by means of a horn or other warning device

(4) Every authorized emergency vehicle used for emergency calls shall be equipped with a bell, siren or exhaust whistle of a type approved by the Secretary of State

(5) No person shall install or use any siren or whistle upon a bicycle.

483.448 Mufflers; unnecessary noise prohibited. (1) No person shall drive a motor vehicle on a highway unless it is equipped with a muffler in good working order and in constant operation to prevent excessive or unusual noise and annoying smoke.

(2) No person shall equip any motor vehicle with a "muffler cut-out"

(3) No person shall operate, and no owner of any motor vehicle shall permit to be operated upon any public road, street or highway, any motor vehicle so as to cause any greater noise or sound than is reasonably necessary for the proper operation of such motor vehicle

483.450 Rear view mirror. Every motor vehicle shall be so equipped with a mirror or other device as to enable the driver thereof to have such a clear and unobstructed view of the rear at all times and under all conditions of load as will enable him to see any other vehicle approaching from not less than 200 feet in the rear on an unobstructed road

483.452 Obstruction of windows prohibited; windshield wiper required. (1) No person shall drive any vehicle upon a highway with any sign, poster or other non-transparent material upon the front windshield, side-wings, side or rear windows of such motor vehicle other than a certificate or other paper required to be so displayed by law.

(2) Every windshield on a motor vehicle shall be equipped with a device for cleaning rain or other moisture from the windshield, which device shall be so constructed as to be controlled or operated by the driver of the vehicle

483.454 Light or flag at end of load. Whenever the load upon any vehicle extends to the rear four feet or more beyond the bed or body of such vehicle, there shall be displayed at the extreme rear end of the load, at the times specified in subsection (1) of ORS 483 402, a lighted red light or lantern plainly visible from a distance of at least 500 feet to the sides and rear. The red light or lantern required under this section is in addition to the red rear light required upon every vehicle. At any other time there shall be displayed at the extreme rear end of the load a red flag or cloth not less than 12 inches square

483.456 Flares and similar warnings for trucks and busses. (1) No person shall

operate any motor truck, motor bus or truck trailer upon a highway outside of a business or residence district at any time from a half hour after sunset to a half hour before sunrise unless there is carried in such vehicle a sufficient number of flares, electric lanterns or other signals, capable of continuously producing three warning lights, each visible from a distance of at least 500 feet, for a period of at least 12 hours. However, a motor vehicle transporting flammables shall carry red electric lanterns in place of the other signals above mentioned, and a motor vehicle transporting explosives as cargo shall carry flares, electric lanterns or other signals otherwise conforming to this subsection and capable of producing a red light.

(2) Whenever any motor truck, motor bus or truck trailer and its lighting equipment are disabled during the period when lighted lamps must be displayed on vehicles and such vehicle cannot immediately be removed from the main-traveled portion of a highway outside of a business or residence district, the driver or other person in charge of the vehicle shall cause such flares, lanterns or other signals to be lighted and placed upon the highway where they are clearly visible to the drivers of approaching vehicles for a distance of 500 feet, one at a distance of not less than 100 feet or more than 300 feet in advance of such vehicle, one at a distance of not less than 100 feet or more than 300 feet to the rear of the vehicle, and the third upon the roadway side of vehicle. However, every such vehicle transporting inflammable liquid in bulk, whether loaded or empty, and every such vehicle transporting compressed inflammable gases, shall place three red electric lanterns in lieu of such other signals, and no open burning flare shall be placed adjacent to any such vehicle.

(3) During such time as lights are not required red flags not less than 12 inches square shall be used in place of flares or electric lanterns, except that no flag shall be required to be placed at the side of the vehicle. However, if such disablement continues into the period when lights are required, flares or red electric lanterns shall be placed as above set forth.

(4) In lieu of the lanterns or other signals required by this section, red emergency reflectors may be used if they are of a type approved by the Secretary of State and meet the minimum requirements of the Interstate Commerce Commission.

483.458 Fenders or covers on motor vehicles. No person shall operate or move, and no owner shall permit to be operated or moved, any motor vehicle, motor truck, motor bus, semitrailer or truck trailer, as defined in ORS 481.030 to 481.065, or bus trailer, as defined in ORS 483.002, except a motor truck chassis not equipped for hauling a load or a semitrailer equipped with bunks, upon or over any public highway, without having such vehicle equipped with fenders or covers, which may include flaps or splash aprons, over and to the rear of wheels, as follows:

(1) On the rear wheels of every motor truck equipped with a body, motor bus, bus trailer, semitrailer or trailer, such fenders or covers shall extend in full width from a point above and forward of the center of the tires over and to the rear of the wheels to a point that is not more than 10 inches above the surface of the highway when the vehicle is empty.

(2) Behind the rear wheels of every motor truck not equipped with a body the fenders or covers shall extend downward in full width from a point not lower than halfway between the center of the wheels and the top of the tires on such wheels to a point that is not more than 10 inches above the surface of the highway when such vehicle is empty.

(3) Behind all wheels of every motor vehicle other than motor trucks, motor busses, bus trailers, semitrailers or trailers, the fenders or covers shall extend in full width from a point above and forward of the center of the tire over and to the rear of the wheel to a point that is not more than 20 inches above the surface of the highway.

483.460 Construction of vehicle fenders. Fenders or covers, as used in ORS 483.458, shall be deemed to be of sufficient size and construction to comply with the requirements thereof, if constructed as follows:

(1) When measured on the cross section of the tread of the wheel or on the combined cross sections of the treads of multiple wheels, such fender or cover extends at least to each side of the width of the tire or of the combined width of the multiple tires; and

(2) Such fender or cover is so constructed as to be capable at all times of arresting and deflecting such dirt, mud, water or other substance as may be picked up and carried by the wheels.

483.462 Speedometers required on vehicles carrying passengers for hire. Every

motor vehicle used for carrying passengers for hire, when operated upon the highways or streets of this state, shall be equipped with a speedometer or other registering device capable of registering accurately the speed at which such vehicle is operated. However, a motor vehicle equipped with a governor or other regulating device to control its speed within the limits specified by law is not required to be so equipped.

483.464 "Safety glazing material" defined for ORS 483.464 to 483.468. As used in ORS 483.464 to 483.468, unless the context requires otherwise, "safety glazing material" means glazing material so constructed, treated or combined with other materials as to reduce substantially, in comparison to ordinary sheet or plate glass, the likelihood of injury to persons by broken or cracked glass or by objects from external sources [1953 c 344 §1]

483.466 Approved safety glazing materials required in windows and windshields. (1) On and after January 1, 1954, no motor vehicle, manufactured after January 1, 1954, and registered in this state, shall be operated on the highways of this state unless the windshield and windows of such motor vehicle are equipped with safety glazing materials on the approved list of the Secretary of State.

(2) On and after January 1, 1954, no person shall make or procure the replacement of windows and windshields in a motor vehicle unless such replacement is made with a safety glazing material on the approved list of the Secretary of State [1953 c 344 §§2,3]

483.468 Approval of safety glazing materials by Secretary of State. (1) The Secretary of State shall establish standards for safety glazing materials which standards shall conform to the standards approved by the American Standards Association in the American Standard Safety Code for Safety Glazing Materials of Motor Vehicles Operating on Land Highways. The Secretary of State shall publish a list of approved safety glazing materials

(2) The manufacturer of any glazing material upon which approval for use in motor vehicles is desired shall submit to the Secretary of State a test report from the National Bureau of Standards. If the Secretary of State finds that the glazing material

so tested conforms with the standards of this state he shall place such material on the approved list [1953 c.344 §4]

483.470 Limitations on use of television viewers in motor vehicles. No person shall drive any motor vehicle equipped with any television viewer, screen or other means of visually receiving a television broadcast, which is located in the motor vehicle at any point forward of the back of the driver's seat, or which is visible to the driver while operating the motor vehicle [1953 c.151 §1]

483.472 to 483.500 [Reserved for expansion]

RESTRICTIONS ON USE OF HIGHWAYS; WEIGHTS AND SIZES OF VEHICLES

483.502 Application of size and weight provisions; violators liable for damages. (1) No person shall drive or move and no owner shall cause or permit to be driven or moved on any highway, any vehicle or combination of vehicles of a size or weight exceeding the limitations set forth in ORS 483.502 to 483.536, or any vehicle or combination of vehicles which are not constructed or equipped as required in those sections, or under the rules and regulations of the State Highway Commission, county courts or boards of county commissioners, or city councils, adopted pursuant thereto.

(2) All permits issued pursuant to the provisions or under authority of ORS 483.502 to 483.536 for the operation of any vehicle upon any highway within the state shall be free of charge, and it is unlawful for the authority granting any such permit to require any payment therefor, either as a fee or as reimbursement for the cost of issuing such permit

(3) The provisions of ORS 483.502 to 483.536 governing size and weight do not apply to any vehicle, combination of vehicles, article, machine or other equipment while being used by the Federal Government, the State of Oregon, or any county or incorporated city in the construction, maintenance or repair of public highways, and at the immediate location or site of such construction, maintenance or repair

(4) Any owner and driver or chauffeur of any vehicle or combination of vehicles using the highways, streets or bridges of this state in violation of ORS 483.502 to 483.536 shall be jointly and severally liable to the state, county or city (depending upon whether it is

a state, county or city highway, street or bridge), for all damage done to the highway, street or bridge as a result of the violation

(5) The operation of any vehicle or combination of vehicles in violation of ORS 483 502 to 483 528 or ORS 483 532 is prima facie evidence that the owner of such vehicle or combination caused or permitted it to be so operated. [Amended by 1953 c.691 §12]

483.504 Restrictions on width, height and length of vehicles. Except as authorized by the terms of permits issued or resolutions adopted pursuant to ORS 483 520 to 483 525 and 483 528

(1) No vehicle, including any load thereon, shall exceed a total outside width of eight feet, except that:

(a) Pneumatic tires, rubber or leather mud flaps, safety accessories such as clearance lights, rub rails and binder chains, and appurtenances such as door handles, door hinges and turning signal brackets may exceed such width by a distance not greater than two inches on each side of the vehicle.

(b) Rear-view mirrors may exceed such width by a distance not greater than five inches on each side of the vehicle

(c) The width of a farm tractor and of a trolley bus in operation prior to June 1, 1947, and operated exclusively within the limits of an incorporated city, may exceed such width but shall not exceed nine feet.

(d) Trolley busses first placed in operation within the limits of an incorporated city on or after June 1, 1947, may exceed such width but shall not exceed 102 inches

(2) No passenger vehicle shall carry any load extending beyond the line of its left fenders, or extending more than six inches beyond the line of its right fenders

(3) No vehicle, including any load thereon, shall exceed a height of twelve and one-half feet. This subsection does not relieve the owner or driver of any vehicle or combination of vehicles from the exercise of due care in determining that sufficient vertical clearance is provided upon the highways and streets where the vehicle or combination of vehicles is being operated.

(4) No vehicle operating singly or as a unit in a combination of vehicles shall exceed a length of 35 feet, inclusive of front and rear bumpers, and no combination of vehicles, including any load thereon, shall exceed a total length of 50 feet, except that

(a) A trolley bus operated exclusively within the limits of an incorporated city and

first placed in operation in the city on or after June 1, 1947, may exceed a length of 35 feet but shall not exceed a length of 38 feet.

(b) Public utilities, people's utilities districts and cooperative rural electrification districts, for the purpose of transporting and hauling poles, piling or structures used or to be used in connection with their business, may use and operate upon any highway of this state any vehicle or combination of vehicles having a total length, including any load thereon, in excess of 50 feet, but not in excess of 75 feet unless an emergency exists

(5) No load upon any vehicle or combination of vehicles shall exceed 40 feet in length, except poles, piling or structures used or to be used in connection with the business of a public utility, people's utilities district or cooperative rural electrification district, upon a vehicle or combination of vehicles operated by such utility or district.

(6) No vehicle or combination of vehicles shall carry any load extending more than three feet beyond the front thereof

(7) No portion of any single vehicle or any load thereon shall extend beyond the last axle of the vehicle for a distance greater than five-eighths of the length of the wheelbase of the vehicle, except that:

(a) No portion of any single vehicle or any load being transported on any single vehicle first placed in operation after December 31, 1951, shall extend beyond the last axle of the vehicle for a distance greater than one-half the length of the wheelbase of the vehicle, unless at least 20 percent of the gross weight of the vehicle, including any load thereon, is exerted upon the highway or street through the wheels of the front axle of the vehicle.

(b) Any load being transported by any single vehicle may extend to the rear of the last axle of the vehicle for a distance greater than five-eighths, but not greater than three-fourths, of the length of the wheelbase of the vehicle, if at least 25 percent of the gross weight of the vehicle, including any load thereon, is exerted upon the highway or street through the wheels of the front axle of the vehicle.

(8) The provisions of subsections (1) to (7) of this section shall not apply to implements of husbandry moved upon any highway during daylight hours for a distance not greater than 50 miles, if the movement is incidental to the farming operations of the

owner of the implement of husbandry and with respect to implements of husbandry having a width in excess of nine feet, if the implement of husbandry is preceded and followed by flagmen-escorts for the purpose of warning other highway users

(9) No portion of any combination of vehicles or any load thereon shall extend beyond the last axle of the combination of vehicles for a distance greater than one-third of the length of the wheelbase of the combination of vehicles [Amended by 1953 c 691 §12]

483.506 Maximum axle, wheel and gross weights for vehicles. Except as authorized by the terms of permits issued pursuant to ORS 483 520 to 483 528.

(1) Subject to the maximum gross axle weight set forth in subsection (3) of this section, the gross axle weight of any axle of a vehicle shall not exceed 550 pounds per inch of the total tire width of the wheels of the axle

(2) With respect to any combination of vehicles consisting of a truck-tractor and a pole trailer, and used in the transportation of logs, poles and piling, the gross weight of any group of axles consisting of the rear single axle of the truck-tractor and the single axle of the pole trailer shall not exceed 37,000 pounds, the gross weight of any group of axles consisting of the rear single axle of the truck-tractor and the tandem axles of the pole trailer shall not exceed 55,000 pounds before October 1, 1954, and shall not exceed 50,000 pounds on and after October 1, 1954, and the gross weight of any group of axles consisting of the rear tandem axles of the truck-tractor and the tandem axles of the pole trailer shall not exceed 66,000 pounds. Subject to the above maximum gross weight of groups of axles, no combination of vehicles consisting of a truck-tractor and a pole trailer and used in the transportation of logs, poles or piling shall have any gross individual wheel weight in excess of 9,500 pounds, or any gross axle weight in excess of 19,000 pounds or any gross tandem axles weight in excess of 34,000 pounds, except that, with respect to a combination of vehicles consisting of a truck-tractor with a single rear axle and a pole trailer with tandem axles, the gross weight of the tandem axles of the pole trailer may exceed 34,000 pounds but shall not exceed 36,000 pounds before October 1, 1954,

and shall not exceed 34,000 pounds on and after October 1, 1954. Nothing contained in this subsection shall be deemed to authorize operation, without a permit issued pursuant to ORS 483.520 to 483 528, of any vehicle or combination of vehicles having any gross weight in excess of that authorized in subsection (3) of this section

(3) No vehicle or combination of vehicles, including any load thereon, shall, except as set forth in subsection (2) of this section, have:

(a) Any gross individual wheel weight in excess of 9,000 pounds;

(b) Any gross axle weight in excess of 18,000 pounds;

(c) Any gross tandem axle weight in excess of 32,000 pounds;

(d) Any gross weight of any group of axles in excess of that set forth in the tables of weights in subsection (3) of ORS 483 524; or

(e) Any gross vehicle or combination of vehicles weight in excess of 60,000 pounds, or in excess of the weights set forth in the tables in subsections (3) and (4) of ORS 483 524, whichever is less [Amended by 1953 c 691 §12]

483.508 Restrictions on number of vehicles in a combination; coupling devices.

(1) No combination of vehicles coupled together shall consist of more than two vehicles, except as authorized by permits issued pursuant to ORS 483.520 or 483 528, and except that in driveway operations as many as three vehicles may be coupled together by a double saddle-mount method or by a single saddle-mount and drawbar method

(2) When one vehicle is towing another, the drawbar, coupling device and other connections shall be of sufficient strength to hold the weight of the towed vehicle upon any grade of any highway where operated, and unless the towed vehicle is temporarily disabled, such connections shall be properly mounted without excessive slack but with sufficient play to allow for universal action of the connections and provided with a suitable locking means to prevent accidental separation of the towed and towing vehicles.

(3) When any vehicle is towing another vehicle and the connection between the vehicles is a chain, rope, cable or any flexible material, a red flag or cloth not less than 12 inches square shall be displayed upon the connection.

(4) No person shall operate a combination of vehicles when any trailer, semitrailer, pole trailer or other vehicle being towed whips or swerves from side to side dangerously or unreasonably, or fails to follow substantially in the path of the towing vehicle

(5) Any towed vehicle in a combination of vehicles, except a temporarily disabled vehicle being towed by another vehicle and except a semitrailer coupled to a towing vehicle with a fifth wheel and kingpin assembly so designed that the upper and lower halves may not be separated without being manually released, shall, in addition to an efficient and adequate coupling device, be equipped with safety chains or cables permanently attached to either the towed or towing vehicle. The safety chains or cables shall be carried through a ring on the drawbar of the trailer or on the reach of a pole trailer. The safety chains or cables and their means of attachment to both the towed and towing vehicles shall be of sufficient strength to control the towed vehicle in the event of failure of the coupling device

(6) Any coupling device on any towing vehicle used as a connection for the drawbar on any towed vehicle having a gross weight in excess of 5,000 pounds shall be firmly attached to the frame or to a solid connection to the frame and not only to the bumper of the towing vehicle

(7) The State Industrial Accident Commission is authorized to determine the adequacy of any coupling device. [Amended by 1953 c.691 §12]

483.510 Sifting or leaking loads. No vehicle shall be driven or moved on any highway unless it is so constructed or loaded as to prevent its contents from dropping, sifting, leaking or otherwise escaping therefrom.

483.512 Sleds prohibited except with permit. No person shall move any sled or other device that does not move exclusively on revolving wheels or rotating tracks in contact with the surface of the highway, having a gross weight, including load, in excess of 500 pounds, upon any highway without first obtaining permission for the movement as provided in ORS 483.528.

483.514 Dragging object on highway prohibited. No logs, poles, piling or other thing shall be dragged upon or over the surface of any highway without the written permission of the State Highway Commission, if a state

highway, the county court or board of county commissioners, if a county highway, or the city council, if a city street over which no state highway is routed pursuant to ORS 373.010.

483.516 Pneumatic tires, when required. No vehicle shall be operated on any highway unless equipped with pneumatic tires, except:

(1) Any implement of husbandry equipped with solid tires, or metal tires not prohibited in ORS 483.518, and having a gross vehicle weight not in excess of 7,000 pounds and a gross axle weight of any axle not in excess of 3,500 pounds

(2) That vehicles operated exclusively within the corporate limits of any city may be equipped with solid tires that, subject to the maximum gross axle weight authorized in subsection (1) of ORS 483.506, will at all times maintain a cushion of elastic material between the surface of the highway and any metal part of any wheel of the axle or track of the vehicle, of a thickness not less than

(a) When the gross axle weight is 6,500 pounds or less, one inch

(b) When the gross axle weight is more than 6,500 pounds but not in excess of 11,000 pounds, one and one-quarter inches.

(c) When the gross axle weight is more than 11,000 pounds, one and one-half inches.

483.518 Metal objects on tires prohibited.

(1) Any vehicle equipped with any tire having on its periphery any block, stud, cleat, bead, chain or other protuberance of metal that projects beyond the tread or traction surface of the tire shall not be operated upon any highway, except:

(a) Vehicles actually engaged at the time in construction or repair of highways in this state;

(b) Traction engines moved upon dirt or unimproved roads; and

(c) Vehicles equipped with skid chains of reasonable proportions required for safe operation because of snow, ice or other inclement weather conditions.

(2) Notwithstanding the provisions of subsection (1) of this section, the owner or lessee of any land adjoining any highway may without permit move across or along the highway any tractor or implement of husbandry for the purpose of planting, cultivating, caring for or harvesting any crop, on condition that he shall be liable to the State of Oregon for the benefit of the State Highway Fund

with respect to state highways, or to the proper county for the benefit of the county road fund with respect to county highways, for any damage or injury done to the highway by the movement.

483.520 Authority to issue permits for continued operation of vehicles exceeding length, weight or width limits, or for special combinations of vehicles. (1) The State Highway Commission, county courts or boards of county commissioners and city councils may, in their sole discretion, grant written permits for the operation over state and county highways and city streets, or sections thereof, under their respective jurisdictions, of any vehicle or combinations of vehicles, including any load thereon, having a length or height in excess of that authorized in subsections (3) to (5) of ORS 483.504, and a gross vehicle or combination of vehicles weight in excess of that authorized in subsection (3) of ORS 483 506

(2) The granting authorities named in subsection (1) of this section may, in their sole discretion, grant written permits for the operation over state and county highways and city streets, or sections thereof, under their respective jurisdictions, of any single vehicle, engaged in the transportation of peeler bolts, blocks, cores, railroad ties, logs or poles loaded crosswise of the vehicle, having an overall width of load thereon in excess of that authorized in subsection (1) of ORS 483.504, but not in excess of eight and one-half feet, if it is determined by a trial load that the vehicle with load thereon, moving in a normal manner, can stay on the right side of the center line of the traveled way at all times and that there is sufficient room in the opposing traffic lane for the safe movement of other vehicles.

(3) Such authorities may issue permits for the operation of combinations of vehicles consisting of a truck tractor and semitrailer drawing one trailer or a truck-tractor and semitrailer drawing one additional semitrailer mounted on a dolly equipped with a fifth wheel, and the State Highway Commission may authorize the operation of such combinations of vehicles upon designated highways pursuant to ORS 483 525

(4) The granting authorities named in subsection (1) of this section may grant written revocable permits for the operation for a period not exceeding one year over highways or streets under their respective jurisdictions, of any vehicle or combination

of vehicles of a height not exceeding thirteen and one-half feet, unless such vehicle or combination of vehicles is engaged in transporting lumber, baled hay or any other load which in the opinion of the granting authority would be hazardous, and provided, that any such permit shall be granted only when, in the opinion of the granting authority, the traveling public and highways or highway structures will not be endangered thereby. The provisions of this subsection do not relieve the owner or driver of any vehicle or combination of vehicles operating under a permit from the exercise of due care in determining that sufficient vertical clearance is provided upon the highways and streets where the vehicle or combination of vehicles is being operated [Amended by 1953 c 691 §12]

483.522 General provisions of permits; cancellation. (1) No permit issued under ORS 483.520 shall be valid:

(a) For operation over any highway or street, or section thereof, not specified in the permit;

(b) For the operation of any vehicle or combination of vehicles not specified in the permit, or

(c) For the operation of any vehicle or combination of vehicles, including any load thereon, having an overall width or length or gross weight in excess of the maximum width, length or gross weight specified in the permit.

(2) The granting authority shall make and set forth in the permit such regulations as are necessary to prevent damaging the highways and streets and overstressing highway and street facilities, and to protect the public welfare.

(3) Any permit issued under ORS 483 520 may be canceled at any time by the granting authority upon proof satisfactory to it that the permittee has violated any of the terms of the permit, or when in the judgment of the granting authority the public interest requires cancellation.

483.524 Conditions of permits for excess length or weight; axle group and gross weight limits. In the granting of permits under ORS 483 520 the granting authority shall observe and be governed by the following controls on maximum lengths and gross weights:

(1) Any vehicle or combination of vehicles, including any load thereon, having an overall length of not more than 60 feet may be permitted to operate over state or county

highways or city streets if it is determined by a trial load that the vehicle or combination of vehicles, including any load thereon, moving in a normal manner, can stay on the right side of the center line of the traveled way at all times and that there is sufficient room in the opposing traffic lane for the safe movement of other vehicles. However, the granting authority may permit the operation over state or county highways or city streets, under its jurisdiction, of combinations of vehicles having an overall length, including any load thereon, in excess of 60 feet, for the transportation of logs, poles, piling or structural timbers. If the movement of combinations of vehicles transporting logs, poles, piling or structural timbers cannot be confined to the right side of the highway and satisfactory flagging and traffic controls can be set up to protect and not unreasonably delay the traveling public, the granting authority may permit limited movements only for the transportation of logs, poles, piling or structural timbers which may restrict the passing of other vehicles. In the issuance of permits under this subsection for the transportation of logs, poles, piling or structural timbers in excess of 60 feet overall length, the granting authority may, in its discretion, require the applicant to furnish public liability and property damage insurance and indemnity insurance or an indemnity bond in such adequate sums as may be fixed by the granting authority, in the same manner and for the same purposes as provided in subsections (1) and (2) of ORS 483.528

(2) The gross weight of any individual wheel, axle, or tandem axles of any vehicle or combination of vehicles shall not exceed the maximum gross wheel, axle and tandem axle weights set forth in ORS 483.506

(3) The gross weight of any group of axles of any vehicle or combination of vehicles, when the distance between the first and last axles of any group of axles is 18 feet or less, and the gross weight of any vehicle when the distance between the first and last axles of all of the axles of the vehicle is 18 feet or less, shall not exceed that set forth in the following table of weights:

| Distance in feet between the first and last axles of any group of axles of any vehicle or combination of vehicles, or between the first and last axles of all the axles of any vehicle | Maximum gross weight, in pounds, of any group of axles of any vehicle or combination of vehicles, or of any vehicle |
|--|---|
| 6 | 32,200 |
| 7 | 32,900 |
| 8 | 33,600 |

| | |
|----------|--------|
| 9 | 34,300 |
| 10 | 35,000 |
| 11 | 35,700 |
| 12 | 36,400 |
| 13 | 37,100 |
| 14 | 43,200 |
| 15 | 44,000 |
| 16 | 44,800 |
| 17 | 45,600 |
| 18 | 46,400 |

(4) Except as provided in subsection (5) of this section, the gross weight of any vehicle or combination of vehicles, where the distance between the first and last axles of the vehicle or combination of vehicles is more than 18 feet, shall not exceed that set forth in the following table of weights:

| Distance in feet between the first and last axles of all the axles of a vehicle or combination of vehicles | Maximum gross weight, in pounds, of any vehicle or combination of vehicles: |
|--|---|
| 19 | 47,200 |
| 20 | 48,000 |
| 21 | 48,800 |
| 22 | 49,600 |
| 23 | 50,400 |
| 24 | 51,200 |
| 25 | 55,250 |
| 26 | 56,100 |
| 27 | 56,950 |
| 28 | 57,800 |
| 29 | 58,650 |
| 30 | 59,500 |
| 31 | 60,350 |
| 32 | 61,200 |
| 33 | 62,050 |
| 34 | 62,900 |
| 35 | 63,750 |
| 36 | 64,600 |
| 37 | 65,450 |
| 38 | 66,300 |
| 39 | 67,150 |
| 40 | 68,000 |
| 41 | 68,000 |
| 42 | 68,000 |
| 43 | 68,000 |
| 44 | 68,000 |
| 45 | 68,000 |
| 46 | 68,800 |
| 47 | 69,600 |
| 48 | 70,400 |
| 49 | 71,200 |
| 50 | 72,000 |
| 51 | 72,800 |
| 52 | 73,600 |
| 53 | 74,400 |
| 54 | 75,200 |
| 55 or over | 76,000 |

(5) The maximum gross weight of any combination of vehicles consisting of a truck-tractor with a tandem rear axle and a pole trailer with a tandem axle and having an overall wheelbase length, measured from the first axle to the last axle of the combination of vehicles, of more than 40 feet, when used in the transportation of logs, poles or piling, may be equal to but shall not exceed the maximum gross weight set forth in the table of weights in subsection (4) of this section for a combination of vehicles having an overall wheelbase three feet greater in length.

(6) The distance between axles shall be measured to the nearest foot. When a fractional measurement is exactly one-half foot the next larger whole number shall be used. [Amended by 1953 c 691 §12]

483.525 Authority of highway commission to permit operation of vehicles of excess weight or length over certain highways. When in the judgment of the State Highway Commission any state highway or section thereof is capable of carrying any combination of vehicles having a gross weight in excess of that authorized in subsection (3) of ORS 483 506, or an overall length in excess of that authorized in subsection (4) of ORS 483.504, the commission may by resolution so declare, and fix the maximum gross weight and length and types and classes of combinations of vehicles which may be operated thereon. After such resolution is filed with the Secretary of State as provided by ORS 183 020, no permit shall be required for the operation upon such highway or section thereof of any combination of vehicles not exceeding the maximum gross weight and length fixed for combinations of vehicles of that type and class. In fixing such maximum gross weights and lengths the commission shall be governed by the provisions of ORS 483 524. The provisions of any resolution adopted by the commission pursuant to this section may by resolution be changed or rescinded at any time, and shall be subject to any order of the commission made pursuant to ORS 483 532 [1953 c 691 §12]

483.526 Permit to operate old trolley busses with excess axle weight. (1) The State Highway Commission, the county court or board of county commissioners, or the governing body of the city, jointly or severally, whichever has jurisdiction of the highway or street affected, may grant written permits for the continuous operation ex-

clusively within the corporate limits of any city having a population in excess of 100,000 persons according to the last census, on the highways designated in the permit, of trolley busses with any axle having a gross weight of not more than 20,000 pounds, provided that the trolley busses were purchased and operated prior to January 1, 1941, by the applicant for the permit.

(2) No permit shall be granted until the granting authority has made an inspection of the highway over which it is proposed to operate the trolley bus and has found that the proposed operation will not be detrimental to the highway nor contrary to the welfare of the general public. Any permit issued under this section, if not limited by its terms, or terminated as provided in this section, shall expire with the expiration of the franchise granted by the city for the operation of the trolley bus covered by the permit.

(3) Any permit issued under the provisions of this section may be canceled by the granting authority upon proof satisfactory to the granting authority that the permittee has violated any of the provisions or conditions of the permit, or when in the judgment of the granting authority the protection of the public welfare requires the cancellation. Notice of cancellation shall be delivered to the permittee in writing upon cancellation of the permit.

483.528 Permit for special movement of noncomplying vehicle or article. (1) Upon receipt of an application for permission to move over any highway or street any vehicle, combination of vehicles, article, property or thing having any gross weight in excess of that permitted under ORS 483 502 to 483 526, or of a size or description not permitted under ORS 483 502 to 483 526, the State Highway Commission or the county court or board of county commissioners or the city council, as the case may be, shall investigate the representations made in the application, and if in the judgment of the public authority having jurisdiction over the highway or street the interests of the public will be served by the proposed movement, such authority may grant a written permit for the movement over any highway or street under its jurisdiction.

(2) The permit shall include such terms and conditions as the granting authority deems necessary or desirable for protection of the highways and streets and the public

interests. The granting authority may require the applicant to furnish public liability and property damage insurance in a sum fixed by the granting authority, and indemnity insurance or an indemnity bond in a sum fixed by the granting authority, indemnifying such authority for any damage to the highways or streets that may be caused by the movement, and indemnifying the members, officers, employees and agents of such authority from any claim that might arise on account of the granting of the permit and the use of the highways in any movement permitted under the provisions of this section.

(3) No movement of any vehicle, combination of vehicles, article, property or thing under the provisions of this section shall begin until a written permit has been granted and the required public liability and property damage insurance and indemnity insurance or indemnity bond have been filed with and accepted by the granting authority.

(4) The granting authority may appoint any of its officers, employees or agents to be present at and during the movement, but the presence of any officer, employee or agent and any interference or suggestion made by him shall not be considered supervision of the movement and shall not relieve the person to whom the permit has been granted, or his insurers or sureties, from liability for any damage done by the movement. If, in the opinion of the officer, employee or agent, any of the terms and conditions of the permit are not being complied with, he may order the movement to be stopped.

(5) No permit issued under this section shall be valid for operation over any highway or street or section thereof not specified in the permit, or for the operation of any vehicle or combination of vehicles, including any load thereon, or any article, property or thing having any dimension or any gross weight in excess of the maximum dimensions and maximum gross weights specified in the permit [Amended by 1953 c 691 §12]

483.530 Carrying permit in vehicle. The driver or chauffeur of any vehicle or combination of vehicles having any gross weight in excess of that permitted under the provisions of subsection (3) of ORS 483 506, or of a size or description in excess of that permitted under the provisions of ORS 483 504, shall have either a permit or a permit identification card authorizing operation of the vehicle or combination of vehicles

issued pursuant to the provisions of ORS 483 520 to 483 524 or 483 528 in his immediate possession at all times when driving the vehicle or combination of vehicles upon a public highway or street, and shall display the same upon demand of any peace officer, commission weighmaster, judicial officer, or the Director of Permits of the commission, unless operation of the vehicle or combination of vehicles is authorized by a resolution adopted by the State Highway Commission pursuant to the provisions of ORS 483 525. It shall be a defense to any charge under this section if the person so charged produces in court a permit authorizing the operation of the vehicle or combination of vehicles issued prior to and valid at the time of his arrest. [Amended by 1953 c 691 §12]

483.532 Public bodies authorized to regulate strict use of highways. (1) The State Highway Commission, the county court or board of county commissioners and the city council, with respect to highways or streets under their respective jurisdictions, may

(a) Prohibit the operation thereon of any or all vehicles or any class or kind of vehicles

(b) Impose limits as to any gross weight or any dimension of any vehicle or combination of vehicles

(c) Reduce speeds of vehicles.

(d) Impose any other restrictions that in their judgment are necessary to protect any highway or section thereof from being unduly damaged.

(2) Any restrictions or limitations imposed under this section shall be imposed by a proper order. A sign giving notice of the restrictions or limitations contained in the order shall be maintained in a conspicuous manner and place at each end of the highway or section of highway affected thereby, and at such other places as may be necessary to inform the public. Such restrictions or limitations shall be effective when the signs giving notice thereof are erected, and no person shall operate any vehicle or combination of vehicles in violation thereof [Amended by 1953 c 691 §12]

483.534 Weighing of vehicles on highway; detention of vehicle until its load complies with statutes or permit; tolerances. (1) Any peace officer or any person duly authorized by the commission as a weighmaster, having reason to believe that any vehicle or combination of vehicles, including

any load thereon, is unlawful, may stop, measure and weigh it by means of either portable or stationary measures and scales, and may require that the vehicle or combination of vehicles be driven to the nearest scales, in the event such scales are within five miles. If he finds that the vehicle or combination of vehicles, including any load thereon, is of any dimension or has any gross weight not authorized by ORS 483.502 to 483.536 or not authorized by the terms of any permit issued pursuant to ORS 483.520 to 483.528, he shall require the driver or chauffeur to stop the vehicle or combination of vehicles in a suitable place and remain standing until such portion of the load is removed as may be necessary to reduce any dimension and any gross weight to the limits authorized by the statute or permit.

(2) The driver or chauffeur of any vehicle shall stop and submit the vehicle or combination of vehicles to measurement and weighing, and shall comply with the directions of any peace officer or weighmaster given pursuant to this section. All material or goods removed from the load shall be removed and cared for by the driver, chauffeur or owner of the vehicle or combination of vehicles at his risk.

(3) Except as to vehicles operating under permits issued pursuant to ORS 483.528, the peace officer or weighmaster may, within his discretion, permit the driver to proceed without removing the excess dimensions or weights if the amount of excess gross weight does not exceed the following

| | |
|---|---------------|
| Individual wheel | 500 pounds |
| Axle | 1,000 pounds |
| Tandem axles | 2,000 pounds |
| Group of axles..... | 3,000 pounds |
| Vehicle or combination of vehicles | 4,000 pounds. |

(4) Discretionary action by the peace officer or weighmaster under subsection (3) of this section does not relieve the driver or chauffeur and owner of the vehicle or combination of vehicles of any criminal or other liability or responsibility. [Amended by 1953 c.691 §12]

483.536 Methods of determining gross weights. (1) For the purpose of determining any gross weight, actual scale weights shall govern. In the absence of information as to scale weights or of convenient facilities for ascertaining scale weights, the weights furnished by dealers, manufacturers or their

agents, as to the weights of vehicles and parts of vehicles, and bills of lading or cargo manifests as to weights of loads, may be accepted as the weights thereof, but such weights shall be subject at all times to verification by actual weights subsequently ascertained.

(2) For any of the purposes of ORS 483.502 to 483.536, any gross weight may be measured and determined as follows:

(a) The gross weight of any wheel may be ascertained by placing a loadometer or other portable weighing device underneath the wheel and raising it off the surface of the ground, or by placing any wheel on a platform scale in a position so that the other wheels of the vehicle do not bear upon the platform of the scale.

(b) The gross axle weight of any axle may be ascertained by placing a loadometer or other portable weighing device underneath the outer wheels at both ends of the axle and raising all the wheels of the axle off the surface of the ground so as to weigh the entire axle at one time, or otherwise in the usual manner of the use of weighing devices, or may be ascertained by placing all the wheels of any axle on a platform scale in a position so that the other wheels of the vehicle do not bear upon the platform of the scale.

(c) The gross weight of any tandem axles and the gross weight of any group of axles shall be the sum of the gross axle weights of all the axles comprising the tandem axles or the group of axles, or may be ascertained by placing all the wheels of the tandem axles or the group of axles on a platform scale in a position so that the other wheels of the vehicle or combination of vehicles do not bear upon the platform of the scale. If it is not practical to place only the wheels of the tandem axles or group of axles in a position so that other wheels of the vehicle or combination of vehicles do not bear upon the platform of the scale, other wheels of the vehicle or combination of vehicles may be placed on the platform of the scale and the gross weight of the tandem axles or the gross weight of the group of axles shall be determined by subtracting from the gross weight of all the wheels upon the platform of the scale the gross weight of the wheels not comprising the tandem axles or the group of axles.

(d) The gross weight of any vehicle or combination of vehicles shall be the sum of

the gross axle weights of all the axles of the vehicle or combination of vehicles, or may be ascertained by placing all the wheels of a vehicle or combination of vehicles on a platform scale [Amended by 1953 c 691 §12]

483.538 Crowding of front seat; passenger interfering with driver. (1) No driver shall operate a vehicle.

(a) Which is so loaded as to obstruct his view to the front or sides or to interfere with his control or with the driving mechanism of the vehicle

(b) When he has in his lap or in his embrace another person, baggage or encumbrance which prevents the free and unhampered operation of such motor vehicle

(2) No passenger in a vehicle or streetcar shall ride in such position as to interfere with the driver's or operator's view ahead or to the sides, or to interfere with the driver's or operator's control of the driving mechanism of the vehicle or streetcar

(3) No driver of a vehicle shall permit more than three persons over the age of 12 years to occupy the front or driver's seat of any motor vehicle while it is in motion on the highway. As used in this subsection, "occupying" includes the holding of one person upon the lap of another

483.540 Carrying dog or child on external part of motor vehicle. (1) No person shall carry a dog upon a public street or highway upon the hood, fender, running board or other external part of any automobile or truck unless the dog is protected by framework, carrier or other device sufficient to keep it from falling from the vehicle.

(2) No person shall carry any child upon a public street or highway upon the hood, fender, running board or other external part of any motor vehicle

483.542 Designation of streets, roads or highways as truck routes. The State Highway Commission, with respect to state highways outside the corporate limits of incorporated cities or towns, and the county courts or boards of county commissioners, with respect to county roads outside the corporate limits of incorporated cities or towns, and the municipal authorities of any incorporated city or town, with respect to streets, roads or highways within the limits of an incorporated city or town, may designate any street, road or highway or section there-

of as a truck route and may prohibit the operation of trucks, machinery or any other large or heavy vehicles upon any street, road or highway which serves the same route or area served by the said truck route. The municipal authorities of an incorporated city or town shall not designate as a truck route, or prohibit the operation of any vehicle upon, any street, road or highway under the jurisdiction of the State Highway Commission or any county, without the written consent of the highway commission or the county court or board of county commissioners, as the case may be [1953 c 257 §1]

483.544 Truck route designation to be by order, resolution or ordinance; erecting appropriate signs; when prohibitions are effective; violation prohibited. The State Highway Commission, any county court or board of county commissioners or any city council making any designation, or prohibiting any operation, as authorized by ORS 483 542, shall do so by a proper order, resolution or ordinance, and shall erect and maintain a sign giving notice of the order, resolution or ordinance, in a conspicuous manner and place at each end of the highway or section of highway affected thereby, and at such other places as may be necessary to inform the public, and the designation or prohibitions shall be effective when the signs giving notice thereof are erected, and no person shall operate any vehicle or combination of vehicles in violation thereof [1953 c 257 §2]

483.546 to 483.600 [Reserved for expansion]

ACCIDENTS; ENFORCEMENT OF TRAFFIC LAWS

483.602 Duties of drivers and witnesses at accidents. (1) The driver of any vehicle involved in an accident which results in injury or death to any person or causes damage to a vehicle which is driven or attended by any person, immediately shall stop such vehicle at the scene of the accident, or as close thereto as possible, and shall remain at the scene of the accident until he has fulfilled the requirements of subsection (2) of this section. Every such stop shall be made without obstructing traffic more than is necessary

(2) The drivers of any vehicles involved in any accident resulting in injury or death

to any person or damage to any such vehicles shall

(a) Give to the other driver or surviving passenger, or any person not a passenger injured as a result of such accident, his name, address and the registration number of the vehicle which he is driving, and the name and address of any other occupants of such vehicle

(b) Upon request and if available, exhibit and give the number of his operator's or chauffeur's license to the persons injured, or to the occupant of or person attending any vehicle damaged

(c) Render to any person injured in such accident reasonable assistance, including the conveying or the making of arrangements for the conveying of such person to a physician, surgeon or hospital for medical or surgical treatment, if it is apparent that such treatment is necessary or if such conveying is requested by any injured person

(3) Any witness to the accident shall furnish to the driver or occupant of such vehicles, or injured person, his true name and address [Amended by 1953 c 7 §3]

483.604 Driver's duties when he collides with unattended vehicle or other property.

(1) The driver of any vehicle which collides with any vehicle which is unattended immediately shall stop and.

(a) Locate and notify the operator or owner of such vehicle of the name and address of the driver and owner of the vehicle striking the unattended vehicle, or

(b) Leave in a conspicuous place in the vehicle struck a written notice giving the name and address of the driver and of the owner of the vehicle doing the striking and a statement of the circumstances thereof

(2) The driver of any vehicle involved in an accident resulting only in damage to fixtures or property legally upon or adjacent to a highway shall

(a) Take reasonable steps to notify the owner or person in charge of such property of such fact and of his name and address and of the registration number of the vehicle he is driving

(b) Upon request and if available, exhibit his operator's or chauffeur's license

(c) Make report of such accident as required in ORS 483 606 to 483 610.

483.606 Accident reports required. (1) The driver of any vehicle involved in an accident resulting in injury or death to any

person or damage to property shall, within 24 hours, forward a complete written report of such accident to the sheriff of the county, or to the chief of police of the city in which such accident occurs, or to such other agency as the Secretary of State may establish for the purpose of receiving such accident reports Every sheriff, chief of police or other designated agency shall forward every report so filed, or a copy of the same, to the Secretary of State upon forms furnished by him, not later than the first of the month following the date of filing

(2) Whenever the original report is insufficient in the opinion of the Secretary of State, he may require drivers involved in accidents to file supplemental reports of accidents, and may also require witnesses of accidents to render reports to him

(3) Whenever the driver of a vehicle is physically incapable of making a required accident report and there was another occupant in the vehicle at the time of the accident capable of making a report, such occupant shall make or cause the report to be made.

483.608 Form of report; sending death certificate to Secretary of State.

(1) The Secretary of State shall prepare and upon request supply to police departments, sheriffs and other suitable agencies or individuals, forms for accident reports required in ORS 483.606 The report shall call for sufficiently detailed information to disclose with reference to a traffic accident the cause, conditions then existing, and the persons and vehicles involved Every required accident report shall be made on a form approved by the Secretary of State

(2) The State Health Officer shall on or before the fifteenth day of each month forward to the Secretary of State a copy of the death certificate covering the death, resulting from a motor vehicle accident, of any persons within his jurisdiction during the preceding calendar month

483.610 Confidential nature of report; publication of statistics; city authorized to require accident report.

(1) All accident reports made to the Secretary of State or to any sheriff, chief of police or other authorized agent shall be without prejudice to the individual so reporting and shall be for the confidential use of state administrative and enforcement agencies However, the Secretary of State may disclose the identity of

a person and the license number of the motor vehicle involved in an accident.

(2) No such report shall be used as evidence in any trial, civil or criminal, arising out of an accident. The Secretary of State shall furnish upon demand of any person who has, or claims to have, made such a report or, upon demand of any court, a certificate showing that a specified accident report has or has not been made to the Secretary of State, solely to prove a compliance or a failure to comply with the requirement that such a report be made to the Secretary of State.

(3) The Secretary of State shall tabulate and may analyze all accident reports and shall publish annually, or at more frequent intervals, statistical information based thereon as to the number and circumstances of traffic accidents.

(4) Any incorporated city may by ordinance require that the driver of a vehicle involved in an accident file with a designated city department a report of such accident or a copy of any report required to be filed under ORS 483 606. All such reports shall be for the confidential use of the city department and subject to the provisions of subsections (1) and (2) of this section.

483.612 Report of vehicles brought to garage or repair shop showing accident or bullet contact. (1) The person in charge of any garage or repair shop to which is brought any motor vehicle which shows evidence of having been involved in a serious accident or struck by any bullet shall report to the nearest police station or sheriff's office within 24 hours after such motor vehicle is received, giving the engine number, registration number and the name and address of the owner or operator of such vehicle.

(2) An additional report need not be made under this section when the owner of the vehicle is also the owner of the garage or repair shop and he has made a report under ORS 483 606 which includes the information required by this section.

483.614 Driver's duty to help animals. Any person operating a motor vehicle or motorcycle which strikes and injures any domestic animal shall stop and give such animal reasonable attention.

483.616 Jurisdiction to try offenses under this chapter. (1) Unless otherwise stipu-

lated in this chapter, all circuit courts, police judges or recorders of any city, and justices of the peace or district judges of any county, have concurrent jurisdiction of all violations of this chapter for which a penalty is provided in subsection (1), (2), (3) or (7) of ORS 483 990, or in subsection (1) of ORS 483 992, or in ORS 483 994 to 483 998, and of all violations of ORS 164.650, 164 660, 166 630 or 649.080, committed within their territorial jurisdiction.

(2) For the purpose of enforcing the provisions of paragraph (a) of subsection (2) of ORS 483 992, justices of the peace and district courts have concurrent jurisdiction with the circuit court.

(3) All police judges or recorders of any city or town or justices of the peace or district judges of any county shall have concurrent jurisdiction of all violations of the provisions of ORS 483 346 committed within their respective city, town, county or district.

(4) All police judges or recorders of any city or town or justices of the peace or district judges of any county, or circuit courts, shall have concurrent jurisdiction of all violations of the provisions of ORS 483 542, 483 544 or subsection (10) of 483 990 committed within their respective city, town, county or district [Subsections (3) and (4) enacted as 1953 c 587 §5 and 1953 c 257 §4].

483.618 Arrest of violators; release from custody before hearing. (1) Any traffic officer, or police officer, marshal, deputy marshal or watchman of any incorporated city, or any sheriff or deputy sheriff of any county, or any constable of any district, has full power and authority within the limits of his jurisdiction to arrest any person known personally to him to have violated any provision of this chapter for which a penalty is provided in subsection (1), (2) or (3) of ORS 483 990, or in subsection (1) or paragraph (a) of subsection (2) of ORS 483.992, or in ORS 483 994 to 483 998, and immediately to bring such offender before any magistrate having jurisdiction. Any person so arrested shall have the right to an immediate trial and all other rights given to any person arrested for having committed a misdemeanor.

(2) If such hearing cannot then be had, he shall be released from custody on giving his personal undertaking to appear in answer to the violation at such time and place as shall then be indicated, secured by

(a) The deposit of such sum, not less than \$25 nor more than \$400, as may be required by the magistrate;

(b) Depositing his unexpired card of membership in a lawfully organized automobile association, duly qualified under the laws of this state, where the same is acceptable as bail for the offense committed, as provided in ORS 483.620; or

(c) Leaving the vehicle being operated by such person with the magistrate

(3) If no magistrate is accessible, the arrested person shall be released from custody upon

(a) Giving his name and address to the officer making such arrest and depositing with the officer such sum, not less than \$25 nor more than \$400, as may be required by the officer;

(b) Depositing his unexpired card of membership in a lawfully organized automobile association, duly qualified under the laws of this state, where the same is acceptable as bail for the offense committed, as provided in ORS 483.622, or

(c) Leaving the vehicle being operated by such person with the arresting officer

(4) The officer making such arrest shall give a receipt in writing for any sum or vehicle deposited with him, and notify such person to appear before the most accessible magistrate, naming him, on that or the following day, specifying the place and hour. In case security is deposited, as in this section provided, it shall be returned to the person forthwith on his being admitted to bail

(5) This section also applies to persons violating ORS 164.650, 164.660, 166.630 or 649.080

483.620 When automobile association membership card is acceptable as bail. (1) Any automobile association incorporated under the laws of this state may deposit with the State Treasurer the sum of \$2,000 in cash, or in bonds approved by the State Treasurer. When such deposit is made and maintained, the unexpired membership card of any member of the association shall be accepted by any magistrate or officer of this state authorized to take bail when tendered as bail by any member of the association arrested for the violation of any motor vehicle law of this state, or traffic ordinance of any city in this state, if the bail in any individual case does not exceed \$50

(2) If any such member depositing his membership card as bail fails or neglects to appear in court at the time and place required, the magistrate or other officer before whom the case is brought, upon declaring a forfeiture of the bail, shall at once notify the association of the forfeiture, and the amount thereof, by mail. The association shall, within five days after the receipt of such notice, remit the amount of the bail so forfeited to the magistrate or other officer. If such association fails or refuses to remit the bail within that period, the magistrate or other officer having the matter in charge, or the district attorney, shall notify the State Treasurer, who shall thereupon pay the amount of the bail to the officer or magistrate lawfully entitled to receive it, deduct that amount from the amount of deposit with him by such association, and immediately notify such association and require it to deposit a like sum with him. If the association fails or neglects for a period of 10 days so to do, the membership cards of such association shall not thereafter be accepted as bail while the default continues. Upon the payment of the bail by the association, the membership card so deposited shall be immediately returned to such association by the officer who accepted it as bail.

483.622 Weighmaster's authority to arrest. Any person duly authorized as a weighmaster by the State Highway Commission is authorized to arrest at any place within this state any person who violates in his presence any provision of ORS 483.502 to 483.536, and thereafter to proceed with such arrested person as provided in ORS 483.618 and 483.620

483.624 Magistrates' and court clerks' duty to forward trial reports to Secretary of State. (1) Magistrates or other judicial officers, including all local and municipal judicial officers in this state, shall keep a full report of every case in which a person is charged with violation of any provision of this chapter for which a penalty is provided in subsection (1), (2), (3) or (11) of ORS 483.990, or in subsection (1) or paragraph (a) of subsection (2) of ORS 483.992, or in ORS 483.994 to 483.998. If such person is convicted or his bail is forfeited, an abstract of such report shall be sent forthwith to the Secretary of State.

(2) Abstracts required by this section shall be made upon forms prepared by the

Secretary of State and shall include all necessary information as to the party to the case, the address of the defendant and the registration number of the vehicle involved, the nature of the offense, the date of hearing, the plea, the judgment, and the amount of the fine or forfeiture. Every such abstract shall be certified by the proper officer as a true abstract of the record of the court

(3) Each clerk of any court of record of this state shall also, within 10 days after any final judgment of conviction of any violation referred to in subsection (1) of this section, send to the Secretary of State a certified copy of such judgment of conviction. Certified copies of the judgment shall also be forwarded to the Secretary of State upon conviction of any person of manslaughter or other felony in the commission of which a vehicle was used. The Secretary of State shall keep such records in his office, and they shall be open to the inspection of any person during reasonable business hours

(4) This section also applies to charges, convictions and forfeitures of bail with respect to violations of ORS 164.650, 164.660, 166.630 or 649.080.

483.626 Disposition of fines, penalties and forfeitures. All fines and penalties collected for violation of any provision of this chapter for which a penalty is provided in subsection (1), (2), (3) or (11) of ORS 483.990, or in subsection (1) or paragraph (a) of subsection (2) of ORS 483.992, or in ORS 483.994 to 483.998, or for violation of ORS 164.650, 164.660, 166.630 or 649.080, and all sums of money which may be deposited as bail on account of arrest for any such violation and adjudged to be forfeited, shall be paid over and disposed of the same as provided in ORS 481.525 to 481.535, which sections shall in all respects be applicable

483.628 Driver or chauffeur may be exonerated from overloading violation if in good faith. (1) In any prosecution for any violation punishable under ORS 483.995 or 483.996, of any driver or chauffeur who is employed, by the owner of the vehicle or combination of vehicles involved in the violation, to operate such vehicle or combination, the court or judicial officer shall, upon request of the driver or chauffeur, take appropriate proceedings to make the owner of the vehicle a codefendant

(2) If it is found that the driver or chauffeur had reasonable grounds to believe that the vehicle or combination of vehicles operated by him as such employee did not violate any provision punishable under ORS 483.995 or 483.996, and if the owner is found guilty of violating any such provision, the court or judicial officer may dismiss the charges against the driver or chauffeur [Amended by 1953 c.691 §12]

483.630 Use of sobriety tests. (1) If any person is arrested while operating a motor vehicle in any county of this state having a population of 200,000 or more, and is charged with then being intoxicated or under the influence of intoxicating liquor or narcotic drugs, the officer or person making the arrest may, unless the arrested person objects, cause a chemical analysis to be made of the blood, breath, urine or other bodily substance of the arrested person, in order to determine the amount of alcohol then in such person's blood.

(2) Upon any subsequent trial of such person, and upon the request of either party, the court may admit evidence of the amount of alcohol in the defendant's blood at the time of the arrest as shown by such chemical analysis

(3) The refusal of the arrested person to permit a chemical analysis to be made of his blood, breath, urine or other bodily substance at the time of his arrest shall not be admissible in evidence against him upon his trial.

483.632 to 483.988 [Reserved for expansion]

PENALTIES

483.990 Penalties generally. (1) Unless another penalty is provided by law for such violation, any violation of the provisions of, or failure or neglect to comply with any rule or regulation declared in, ORS 483.032 to 483.050, 483.054, 483.104 to 483.140, 483.202 to 483.212, 483.216 to 483.230, 483.302 to 483.338, 483.402 to 483.456, 483.538, 483.540, 483.602 to 483.612, 483.618, 483.620, 483.624 or 483.626, is punishable

(a) Upon conviction, by a fine of not more than \$100 or by imprisonment in the county or municipal jail for not more than 10 days.

(b) Upon a second such conviction within one year after the first conviction, by a fine of not more than \$200 or by imprison-

ment in the county or municipal jail for not more than 20 days, or both

(c) Upon a third or subsequent conviction within one year after the first conviction, by a fine of not more than \$500 or by imprisonment in the county or municipal jail for not more than six months, or both.

(2) Any violation of ORS 483 102, unless such violation occurs under the conditions of subsection (3) of this section, is punishable, upon conviction, by a fine of not more than \$25, or by imprisonment for not more than five days, or both.

(3) Any person who drives a vehicle upon a highway at a speed in excess of that designated for the particular district or location by ORS 483 104 or by the State Highway Commission or the State Speed Control Board pursuant to ORS 483 106 or 483 108, and who, while so driving, violates the basic rule set forth in ORS 483 102 or any provision of ORS 483 126, 483 202 to 483 212, 483 216 to 483 230, 483 302 to 483.318, 483 326, 483 328 or 483 334, shall, upon conviction, be punished by a fine of not more than \$100 or by imprisonment for not more than 10 days, or both

(4) Violation of ORS 483 232 is punishable.

(a) Upon conviction, by a fine of not more than \$100 or by imprisonment in the county or municipal jail for not more than 10 days

(b) Upon a second such conviction within one year after the first conviction, by a fine of not more than \$200 or by imprisonment in the county or municipal jail for not more than 20 days, or both

(c) Upon a third or subsequent conviction within one year after the first conviction, by a fine of not more than \$500 or by imprisonment in the county or municipal jail for not more than six months, or both.

(5) Any person who violates any regulation, restriction or prohibition imposed under ORS 483 346 is guilty of an offense and shall be punished by a fine not exceeding \$10

(6) Violation of ORS 483 458 or 483 460 is punishable, upon conviction, by a fine of not less than \$5 nor more than \$100, or by imprisonment in the county jail for not more than 30 days, or both

(7) Violation of ORS 483 462 is punishable, upon conviction, by a fine of not more than \$400, or by imprisonment in the county jail for not more than one year, or both

(8) Violation of ORS 483 466 or 483.470 is a misdemeanor

(9) Any driver or chauffeur of any vehicle or combination of vehicles who fails or refuses to stop and submit the vehicle or combination of vehicles to measurement or weighing when ordered or directed to do so by any peace officer or weighmaster pursuant to the provisions of ORS 483 534 or 483 536, shall be punished, in addition to the penalties provided in ORS 483 994 to 483.998, by a fine of not less than \$100

(10) Any person violating any rule, regulation or order made or adopted pursuant to authority of ORS 483 542 and 483.544 is guilty of an offense, and shall be punished by a fine not exceeding \$25, provided, however, that in any action against any person for operating a truck or other vehicle upon a street, road or highway upon which operation of such truck or vehicle has been prohibited under ORS 483 542 and 483 544, it shall be a defense if said person can establish that he could not reach his destination without traveling upon said street, road or highway

(11) Failure to comply with ORS 483 602 after an accident which results in injury or death to any person is punishable, upon conviction, by a fine of not less than \$100 nor more than \$5,000, or imprisonment in the county or municipal jail for not less than 30 days nor more than one year, or in the penitentiary for not less than one year nor more than five years, or by both such fine and imprisonment.

(12) Violation of ORS 483 614 is a misdemeanor [Amended by 1953 c 124 §2, 1953 c 691 §12, subsection (5) enacted as 1953 c.587 §4, subsection (8) enacted as 1953 c 151 §2 and 1953 c 344 §5; subsection (10) enacted as 1953 c 257 §3]

483.992 Penalty for driving recklessly or while under the influence of liquor or drugs. (1) Any person who drives any vehicle upon a highway carelessly and heedlessly in wilful or wanton disregard of the rights or safety of others, or without due caution and circumspection and at a speed or in a manner so as to endanger or be likely to endanger any person or property, is guilty of reckless driving and shall be punished

(a) Upon conviction, by imprisonment in the county or municipal jail for not less than five days nor more than 90 days, or

by a fine of not less than \$25 nor more than \$500, or both

(b) Upon a second or subsequent conviction, by imprisonment for not less than 10 days nor more than six months, or by a fine of not less than \$50 nor more than \$5,000, or both

(2) (a) Any person who, while being an habitual user of narcotic drugs or while intoxicated or under the influence of intoxicating liquor or narcotic drugs, drives any vehicle upon any highway, street or thoroughfare within this state, shall be punished, upon conviction, by imprisonment in the county or municipal jail for not more than one year, or by fine of not more than \$1,000, or both

(b) If the death of any human being is caused by the negligent operation of any vehicle contrary to the sections listed in subsections (1), (2) and (3) of ORS 483.990, by any person while intoxicated or under the influence of intoxicating liquor or narcotic drugs, the operator of such vehicle shall be deemed guilty of manslaughter and, upon conviction, shall be punished as provided by the law relating to manslaughter.

483.994 Penalty for operating illegally shaped or equipped vehicle. (1) Violation by any driver, chauffeur or owner of any vehicle or combination of vehicles of any of the provisions, except weight provisions, of ORS 483 502 to 483 530, 483 534 or 483 536, or of any permit issued pursuant to ORS 483 520 to 483 524 or 483 528, or of any resolution adopted by the State Highway Commission pursuant to ORS 483 525, is punishable, upon conviction, by a fine of not less than \$10 nor more than \$25, or by imprisonment in the county or municipal jail for not less than five days nor more than 10 days

(2) A second conviction of a driver or chauffeur of any vehicle or combination of vehicles for the violation of any provision punishable under subsection (1) of this section, within one year after the first conviction, is punishable by a fine of not less than \$25 nor more than \$100, or by imprisonment in the county or municipal jail for not less than 10 days nor more than 20 days, or both. A third or subsequent conviction of such person for the violation of any provision punishable under subsection (1) of this section, within one year after the first conviction, is punishable by a fine of not less than \$50 nor more than \$200,

or by imprisonment in the county or municipal jail for not less than 15 days nor more than 30 days, or both.

(3) A second conviction of any owner of a vehicle or combination of vehicles for violation of any provision punishable under subsection (1) of this section, within one year after the first conviction, is punishable by a fine of not less than \$50 nor more than \$200, or by imprisonment in the county or municipal jail for not less than 15 days nor more than 30 days, or both. A third or subsequent conviction of such person for the violation of any provision punishable under subsection (1) of this section, within one year after the first conviction, is punishable by a fine of not less than \$100 nor more than \$300, or by imprisonment in the county or municipal jail for not less than 30 days nor more than 60 days, or both [Amended by 1953 c 691 §12]

483.995 Penalties for overloading vehicles other than those used in the transportation of logs, poles or piling. Any driver, chauffeur or owner of any vehicle or combination of vehicles not being used in the transportation of logs, poles or piling who violates any of the weight provisions of ORS 483 506, 483 512 or 483 516 or of any permit issued pursuant to ORS 483.520 to 483 526 or of any resolution adopted pursuant to ORS 483 525 shall be punished, upon conviction, by imprisonment or by a fine based upon the excess weight by which any gross weight exceeds the applicable gross weight authorized in such provisions, permit or resolution, as follows. If the excess weight is:

(1) One thousand pounds or any fraction thereof, by a fine of not less than \$15.

(2) More than 1,000 pounds but not in excess of 2,000 pounds, by a fine of not less than two cents per pound for each pound of the excess weight

(3) More than 2,000 pounds but not in excess of 5,000 pounds, by a fine of not less than three cents per pound for each pound of the excess weight

(4) More than 5,000 pounds, by a fine of not less than five cents per pound for each pound of the excess weight, or by imprisonment in the county or municipal jail for not less than 30 days nor more than 90 days, or both [1953 c 691 §12]

483.996 Penalties for overloading vehicles used in the transportation of logs, poles or piling. (1) Violation by any driver,

chauffeur or owner of any vehicle or combination of vehicles being used in the transportation of logs, poles or piling, of the weight provisions of ORS 483.506, 483.512 or 483.516, or of any permit issued pursuant to ORS 483.520 to 483.524, or of any resolution adopted pursuant to ORS 483.525, is punishable, upon conviction, by imprisonment or by a fine based upon the excess weight by which any gross weight exceeds the applicable gross weight authorized in such provisions, or authorized by such permit, as follows If the excess weight is

(a) One thousand pounds or any fraction thereof, by a fine of not less than \$25

(b) More than 1,000 pounds but not in excess of 2,000 pounds, by a fine of not less than three cents per pound for each pound of the excess weight.

(c) More than 2,000 pounds but not in excess of 5,000 pounds, by a fine of not less than four cents per pound for each pound of the excess weight.

(d) More than 5,000 pounds, by a fine of not less than five cents per pound for each pound of the excess weight, or by imprisonment in the county or municipal jail for not less than 30 days nor more than 90 days, or both.

(2) Violation by any driver, chauffeur or owner of any vehicle or combination of vehicles of the weight provisions of any permit issued pursuant to ORS 483.528 is punishable, upon conviction, by a fine of not less than \$100 plus 10 cents per pound for every pound by which any gross weight exceeds the applicable gross weight authorized by the permit, or by imprisonment in the county or municipal jail for not less than 15 days nor more than 90 days, or both [Amended by 1953 c 691 §12]

483.998 Violation of ORS 483.532 or orders issued pursuant thereto. (1) Violation, by any driver, chauffeur or owner of any vehicle or combination of vehicles, of any provision of ORS 483.532 or any provision of any order made pursuant to ORS 483.532, except provisions limiting or reducing any gross weight, is punishable by a fine of not less than \$50 nor more than \$500, or by imprisonment in the county or municipal jail for not less than 15 days nor more than 90 days, or both

(2) Violation, by any driver, chauffeur or owner of any vehicle or combination of vehicles, of any provision of ORS 483.532

or any provision of any order made pursuant to ORS 483.532, limiting or reducing any gross weight, is punishable by imprisonment or by a fine based upon the excess weight by which any gross weight exceeds the gross weight as limited or reduced by the provisions of any order made pursuant to ORS 483.532, as follows

(a) If the excess weight is 1,000 pounds or any fraction thereof, by a fine of not less than \$50

(b) If the excess weight is more than 1,000 pounds but not in excess of 2,000 pounds, by a fine of six cents per pound for each pound of the excess weight

(c) If the excess weight is more than 2,000 pounds but not in excess of 5,000 pounds, by a fine of not less than eight cents per pound for each pound of the excess weight, or by imprisonment in the county or municipal jail for not less than 30 days nor more than 60 days, or both

(d) If the excess weight is more than 5,000 pounds, by a fine of not less than 10 cents per pound for each pound of the excess weight, or by imprisonment in the county or municipal jail for not less than 60 days nor more than six months, or both. In addition, the court before which the conviction is had may recommend to the Secretary of State the suspension of the driver's or chauffeur's license of the driver or chauffeur, or the suspension of the registration plates for the vehicle or for the vehicles in a combination of vehicles of the owner, for not to exceed 90 days The Secretary of State shall suspend the driver's or chauffeur's license, or vehicle registration plates, in accordance with the recommendation.

(3) If any driver, chauffeur or owner is convicted of a second or subsequent violation punishable under subsection (2) of this section within one year after the first conviction, the court before which the conviction is had, in addition to imposing the punishments provided in that subsection, shall suspend the driver's or chauffeur's license of the driver or chauffeur, or the registration plates for the vehicle or for the vehicles in a combination of vehicles of the owner, for not less than 30 days nor more than 90 days The court shall secure the driver's or chauffeur's license or the vehicle registration plates, and immediately forward them to the Secretary of State with information concerning the suspension [Amended by 1953 c 691 §12]

CHAPTER 484
[Reserved for expansion]

•